

BEA

Exam 0B0-102

BEA8.1 Certified Developer:Portal Solutions

Version: 5.0

[Total Questions: 69]

Topic 0, A

A

Question No : 1 - (Topic 0)

What are three ways to enable error pages within Portal applications? (Choose three.)

- A. Associate a JSP page with an error page, through a JSP directive
- B. Associate HTTP error codes with error pages, in the deployment descriptor
- C. Associate Java exception classes with error pages, in the deployment descriptor
- D. Associate a JSP page with an error page, through a JavaDocs documentation comment

Answer: A,B,C**Question No : 2 - (Topic 0)**

You created a page flow in which the flow enters an action method, then is forwarded to a JSP. What are two ways to bind information into this flow, so that the JSP can access the data using XScript? (Choose two.)

- A. The action method adds information to the request object.
- B. The JSP method reads a value from a pageContext variable.
- C. The JSP contains a form for which the action is bound to an action Form Bean.
- D. The action method calls a private method in the page flow class; the method initializes a public member variable.
- E. The action method increments a private member variable for which two private accessor methods are provided.

Answer: A,D**Question No : 3 - (Topic 0)**

A developer imports an existing database control (a .jcx file) by right clicking a folder in the Application window and selecting Import. The developer drags the database control from the Application window onto the Flow View canvas of a page flow. What happens?

- A. A new page is created on the canvas.
- B. A new action is created on the canvas.
- C. A new control displays in the Data Palette.
- D. A wizard prompts the developer for the SQL command to be used by the control.
- E. A wizard prompts the developer for the name of the datasource used by the control.

Answer: C

Question No : 4 - (Topic 0)

Which statement is true about applying entitlements to a desktop portlet?

- A. Entitlements cannot be applied to a portlet.
- B. The administrator can set only the View check box.
- C. Only portlet titlebar options that are enabled by the developer can be set.
- D. The administrator can set only the View, Edit, Remove, Maximize and Minimize check boxes.

Answer: D

Question No : 5 - (Topic 0)

Click the Exhibit button. How does WebLogic Portal find the SMTP host for outgoing mail?



- A. It is set as a request parameter in thankYou.jsp .
- B. It is set as a session parameter in thankYou.jsp .
- C. It is configured using the SMTP Manager in the WebLogic Console.
- D. It is configured using the Mail Service in the Portal Administration tools.

Answer: D

Question No : 6 - (Topic 0)

On which component can you change the layout type?

- A. Book
- B. Page
- C. Portlet
- D. Desktop
- E. Application

Answer: B

Question No : 7 - (Topic 0)

What are two purposes of creating a desktop? (Choose two.)

- A. to provide a deployable enterprise application
- B. to provide a specific access point for entitled users
- C. to provide a Web application development package
- D. to provide a visual development area for Workshop composition
- E. to provide an administrative mechanism for controlling resources

Answer: B,E

Question No : 8 - (Topic 0)

When using the WebLogic Administration Console, which of the following actions would result in a deployed and activated Portal application? (Choose two.)

- A. Uploading the .ear file through the WebLogic Administration Console
- B. Turning on auto-deployment and copying your .ear file to the administration server's stage folder
- C. Using the location directory navigator select your .ear file, followed by targeting and naming the application.
- D. Using the location directory navigator, select the portal application root folder, followed by targeting and naming the application.

Answer: C,D

Question No : 9 - (Topic 0)

When developing custom skins, which action prevents the loss of changes during product upgrades?

- A. Add new entries anywhere in the skin.properties file.
- B. Add new entries at the end of the skin.properties file.
- C. Create a skin_custom.properties file in the same directory as the skin.properties file.
- D. Create a new skin_custom.properties file, under a new directory, for your skin.properties file.

Answer: C

Question No : 10 - (Topic 0)

A JSP contains this line: `<render:writeAttribute name="id" value="<%= button.getPresentationId() %>"/>` Which statement is true about render ?

- A. render is a prefix.
- B. render is the name of a TLD file.
- C. render is the name of a tag handler.
- D. render is an alias, set previously in a page import directive.
- E. render is a Java object, defined previously in a declaration or scriptlet.

Answer: A

Question No : 11 DRAG DROP - (Topic 0)

Click the Task button. Match each task with the Behavior Tracking component that performs it.