

Cisco

Exam 650-968

Configuring Cisco UCS and Cisco Catalyst 3000 for Vblock Series 100

Version: 6.0

[Total Questions: 45]

Question No : 1

A customer is using a Cisco Catalyst 3000 Series switch, with the following requirements:

- Multiple third-party customers will need their own routing table
- Overlapping IP addresses will and could occur

Which feature would you recommend?

- A. BGP
- B. OSPF
- C. EIGRP
- D. EVN
- E. VRF-Lite

Answer: E

Question No : 2

The phrase "power usage based on user policies" describes which of the following features?

- A. Cisco StackPower
- B. Cisco EnergyWise
- C. Cisco StackWise
- D. Cisco StackWise Plus

Answer: B

Explanation: EnergyWise monitors the power of all Cisco network-connected devices, from Power over Ethernet (PoE) devices to IP-enabled building controllers, generating aggregated power consumption reporting to optimize overall power usage based on user policies.

http://www.cisco.com/c/en/us/products/collateral/switches/catalyst-2960-series-switches/white_paper_c11-577729.html

Question No : 3

How many DDR3 DIMM slots are available on a Cisco UCS C220 M3 Rack Server for memory?

- A. 64
- B. 16
- C. 8
- D. 32

Answer: B

Explanation: http://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-c220-m3-rack-server/data_sheet_c78-700626.html

Question No : 4

A customer is installing a Cisco UCS C220 M3 Rack Server in their data center, How many RU of space will they need to install the server in the cabinet?

- A. 4 RU
- B. 2 RU
- C. 1 RU
- D. 3RU

Answer: C

Explanation: One rack-unit (1RU) chassis.

http://www.cisco.com/c/en/us/td/docs/unified_computing/ucs/c/hw/C220/install/C220/overview.html

Question No : 5

What is the Cisco proprietary technology that extends the 802.3 PoE standards to provide the capability to source up to 60 W of power over standard Ethernet cabling infrastructure?

- A. UPoE
- B. PoE+
- C. PPOE
- D. PoEU

Answer: A

Explanation: http://www.cisco.com/c/en/us/products/collateral/switches/catalyst-4500-series-switches/white_paper_c11-670993.html

Question No : 6

What is The maximum number of virtual interfaces available on a Cisco UCS Virtual Interface Card P81E?

- A. 128 virtual interfaces
- B. 64 virtual interfaces
- C. 32 virtual interfaces
- D. 16 virtual interfaces

Answer: A

Explanation: http://www.cisco.com/c/en/us/products/collateral/servers-unified-computing/ucs-c-series-rack-servers/data_sheet_c78-558230.html

Question No : 7

On a Cisco Catalyst switch, what is the entity that defines an event and The actions to be taken when that event occurs?

- A. Network exception
- B. SNMP MIB
- C. Syslog table
- D. SNMP trap