

# HP

## Exam HP0-J25

### HP StorageWorks AIS 2008 Delta Exam

Version: 5.0

[ Total Questions: 70 ]

**Topic 0, A**

A

**Question No : 1 - (Topic 0)**

Which critical events does the Device Specific Module (DSM) impact? (Select three.)

- A. error handling
- B. bus initialization
- C. request handling
- D. device initialization
- E. OS kernel interface
- F. plug and play interface

**Answer: A,C,D****Question No : 2 - (Topic 0)**

On an EVA, which event log file is used to log disk shelf events?

- A. Controller Event log file
- B. Hardware Event log file
- C. Storage Cell Event log file
- D. Management Event log file

**Answer: A****Question No : 3 - (Topic 0)**

Which controller components of an EVA4400 are customer replaceable?

- A. only cache batteries
- B. the entire shelf as one unit
- C. all components that are available as spare parts
- D. all components you can replace without opening the shelf

**Answer: C****Question No : 4 - (Topic 0)**

What can you use to display performance data provided by the EVA?

- A. SIM
- B. SSSU.exe
- C. Command View EVA
- D. performance monitor of the Microsoft Windows operating system

**Answer: D**

**Question No : 5 - (Topic 0)**

Which types of spares are available in an MSA2000? (Select three.)

- A. vdisk spare
- B. array spare
- C. global spare
- D. default spare
- E. dynamic spare
- F. dedicated spare

**Answer: A,C,E**

**Question No : 6 - (Topic 0)**

Which MSA2000 feature disables cache mirroring in active-active mode and might improve the I/O performance?

- A. write-back cache mode (WBCM)
- B. write-through cache mode (WTCM)
- C. super-sequential cache mode (SSCM)
- D. independent cache performance mode (ICPM)

**Answer: D**

**Question No : 7 - (Topic 0)**

How do you acquire management access to fabric switches?

- A. through the FCIP link
- B. by using SmartStart EVA

- C. by using a Telnet connection
- D. through Command View EVA

**Answer: C**

**Question No : 8 - (Topic 0)**

You are starting Command View EVA by using the SmartStart EVA CD to manage a storage system. Which statement is correct?

- A. You must enable the Advanced mode in SmartStart EVA and right-click on the storage system icon.
- B. You must specify the IP address of the management server and select the storage system to manage within Command View EVA.
- C. You must specify only the name of the storage system; SmartStart EVA will automatically locate and start Command View EVA for this system.
- D. You must start Command View EVA from the SmartStart EVA CD without installation and select the storage system to manage within Command View EVA.

**Answer: B**

**Question No : 9 - (Topic 0)**

When you add disks to a disk group on an EVA4400, what is a best practice to maintain redundancy to multiple disk failures?

- A. multiples of 2
- B. multiples of 6
- C. multiples of 8
- D. multiples of the number of disk shelves

**Answer: C**

**Question No : 10 - (Topic 0)**

On an EVA4400, what is a requirement for a fully allocated snapshot in relation to its source?

- A. It must be located in the same disk group.

- B. It must be located in a different disk group.
- C. It must be assigned to a higher redundancy level.
- D. It must be assigned to the same redundancy level.

**Answer: A**

**Question No : 11 - (Topic 0)**

On an EVA4400, where can you specify the algorithm used to distribute the load across the storage controller host ports?

- A. MPIO manager
- B. device manager
- C. host property page
- D. MPIO Device Specific Module (DSM)

**Answer: A**

**Question No : 12 - (Topic 0)**

What is the status of the battery LED when the HSV300 controller cache is powered by the batteries?

- A. solid green
- B. solid amber
- C. flashing amber
- D. fast flashing green

**Answer: C**

**Question No : 13 - (Topic 0)**

What are ways to access the MSA2000 Event Logs? (Select two.)

- A. Select Monitor > Status > view Event Log.
- B. Present and mount the maintenance LUN.
- C. Click the Event Log icon in the system panel.
- D. Browse to [https://<MSA\\_name>:2381/EventLog](https://<MSA_name>:2381/EventLog).
- E. Dump the Event Log through the serial adapter cable.