

# HP

## Exam HP0-S29

### Planning and Designing ProLiant Solutions for the Enterprise

Version: 6.4

[ Total Questions: 156 ]

**Question No : 1 - (Topic 0)**

When you are configuring SNMP, what information must you provide to enable the managed system to send alerts to the Central Management Server (CMS)? (Select two.)

- A. community name
- B. community membership
- C. trap origin
- D. trap severity
- E. trap destination

**Answer: A,E**

**Question No : 2 - (Topic 0)**

Which authorization does HP Systems Insight Manager (HP SIM) use to execute CLI commands?

- A. Administrator group
- B. logged-in user
- C. Operator group
- D. User group

**Answer: B**

**Question No : 3 - (Topic 0)**

Your customer is interested in using a full-size, standard PCIe graphics adapter with a ProLiant WS460c G6 Blade Workstation. Which other component must your customer install to use this graphics adapter?

- A. FX 5800 SFF mezzanine card
- B. Graphics Expansion Blade
- C. Microsoft Remote Desktop Protocol (RDP)
- D. Scaleable BladeLink hardware assembly

**Answer: B**

**Question No : 4 - (Topic 0)**

What is used by HP integrated Lights-Out 2 (iLO 2) to improve security? (Select two.)

- A. Secure IPv6
- B. Secure Virtual Password Store
- C. Secure Shell (SSH)
- D. Secure Task Execution (STE)
- E. Secure Sockets Layer (SSL)

**Answer: C,E**

**Question No : 5 - (Topic 0)**

Which statements correctly describe HP FlexNIC technology? (Select two.)

- A. FlexNIC is a virtual NIC contained in a software layer.
- B. The bandwidth of each FlexNIC can be set from 100Mb to 10Gb, in increments of 100Mb.
- C. FlexNICs are available as single-port LAN-on-Motherboard devices on select ProLiant and Integrity server blades.
- D. FlexNICs enable dynamic MAC and WWN addresses to be assigned without changing production LAN and SAN parameters.
- E. Up to four FlexNICs are supported per physical server 10Gb NIC port.

**Answer: B,E**

**Question No : 6 - (Topic 0)**

What are the benefits of HP Virtual Connect technology? (Select two.)

- A. It supports Ethernet, Fibre Channel, and InfiniBand technologies.
- B. It supports Ethernet, Fibre Channel, and SAS technologies.
- C. It allows server replacement and upgrades without showing any change to the LAN or SAN.
- D. It does not use any of the interconnect bays in a BladeSystem enclosure.
- E. It improves the productivity of LAN, SAN, and server administrators.

**Answer: C,E**

**Question No : 7 - (Topic 0)**

What characteristics meet the virtualization requirement of the HP Converged Infrastructure? (Select two.)

- A. separation of the applications, data, and network connections from the underlying hardware
- B. operating environment automation of high-availability policies that meet service level agreements (SLAs)
- C. definition and support of policies and service levels through automated workflows, provisioning, and change management
- D. easier and faster reallocation of resources to match the changing performance and capacity needs of applications
- E. ability to adapt to a variety of demands to meet requirements for performance, resiliency, and overall efficiency

**Answer: A,D**

**Question No : 8 - (Topic 0)**

Which statement about HP Version Control Repository Manager (VCRM) is true?

- A. It uses a web-based interface that displays data from HP web agents.
- B. It is installed by default on the HP SIM CMS.
- C. It must be manually downloaded from the HP website.
- D. It is designed to be used in a one-to-one configuration with a Version Control Agent installed.

**Answer: B**

**Question No : 9 - (Topic 0)**

Which 1U HP StorageWorks enclosure supports a maximum of 10 small form factor (SFF) Serial Attached SCSI (SAS) disk drives?

- A. StorageWorks MSA50

- B. StorageWorks MSA60
- C. StorageWorks MSA70
- D. StorageWorks MSA2000fc G2

**Answer: A**

**Question No : 10 - (Topic 0)**

Which limitations apply to the HP StorageWorks IO Accelerator for BladeSystem c-Class?  
(Select two.)

- A. requires a 64-bit host operating system
- B. can have only one IO Accelerator per server blade
- C. must be installed in full-height server blades only
- D. must be installed in ProLiant server blades only
- E. must be installed in Type I mezzanine slots only

**Answer: A,D**

**Question No : 11 - (Topic 0)**

What is the maximum number of SAN switches that can be installed in a BladeSystem c7000 enclosure?

- A. 2
- B. 4
- C. 6
- D. 8

**Answer: C**

**Question No : 12 - (Topic 0)**

What are three features of the HP StorageWorks 2000fc G2 Modular Smart Array? (Select three.)

- A. heterogeneous and concurrent operating system support for Windows and Linux only

- B. 4U rack-mount form factor
- C. simultaneous support for SAS and SATA drives within the same enclosure
- D. support for single or dual array controllers
- E. RAID 6 support only with dual controllers and SAS drives
- F. support for 12 large form factor (LFF) or 24 small form factor (SFF) drives

**Answer: C,D,F**

**Question No : 13 - (Topic 0)**

Which HP product enables you to implement hardware RAID 5 across direct attached storage (DAS) in an HP BladeSystem solution?

- A. ProLiant BL495c server blade
- B. ProLiant BL685c server blade
- C. StorageWorks SB40c storage blade
- D. StorageWorks IO Accelerator

**Answer: C**

**Question No : 14 - (Topic 0)**

What is the limitation of the HP StorageWorks SB40c Storage Blade?

- A. It does not support mixing Serial ATA (SATA) and Serial Attached SCSI (SAS) drives.
- B. It does not support hardware RAID 5.
- C. It does not support multiple server blades directly connected.
- D. It does not support battery-backed write cache (BBWC).

**Answer: C**

**Question No : 15 - (Topic 0)**

Which statement correctly explains a function of an HP P4000 VSA server blade solution?

- A. It enables virtualization of the EVA 4x00 storage solutions connected to the server blades within a BladeSystem enclosure.

- B. It converts an SB40c storage blade into an iSCSI SAN inside a BladeSystem enclosure.
- C. It uses Microsoft Hyper-V virtualization technology to enable virtualization of the SB40c storage blades in a BladeSystem enclosure.
- D. It enables server blades within a BladeSystem enclosure to share an SB40c storage blade by using the PCI Express bus on the enclosure midplane.

**Answer: B**

**Question No : 16 - (Topic 0)**

To which interconnect bays on the back of a BladeSystem c7000 Enclosure is mezzanine slot 1 of a BladeSystem c-Class server blade routed?

- A. 1 and 2
- B. 3 and 4
- C. 5 and 6
- D. 7 and 8

**Answer: B**

**Question No : 17 - (Topic 0)**

What is included in a correctly prepared scope of work? (Select three.)

- A. legal and financial provisions
- B. description of the current environment
- C. list of the required resources
- D. final project review prepared for billing
- E. details of the work activities to be performed
- F. agreed-upon change management procedures

**Answer: B,C,E**

**Question No : 18 - (Topic 0)**

What is one advantage of the direct integration between the System Management Homepage (SMH) and the relevant Insight Management Agents and operating system?

- A. provides real-time access to set the thresholds for disk, processor, and memory utilization
- B. enables enterprise-wide management of HP firmware on ProLiant and Integrity systems
- C. simplifies firmware deployment for ProLiant and Integrity servers on Windows and Linux platforms
- D. facilitates disaster recovery capabilities in ProLiant server environments

**Answer: A**

**Question No : 19 - (Topic 0)**


Which HP tool integrates with the HP System Management Homepage to enable network administrators to maintain detailed server inventory and track historical configuration changes?

- A. Insight Diagnostics Online
- B. Version Control Agents
- C. Array Configuration Utility
- D. Open Services Event Manager

**Answer: A**

**Question No : 20 - (Topic 0)**

Click the Exhibit button.



Which label corresponds to the location where the BladeSystem c3000 Onboard Administrator tray is installed?

- A. A
- B. B



- C. C
- D. D

Answer: A

**Question No : 21 - (Topic 0)**

When two Onboard Administrator modules with identical firmware are installed in a BladeSystem c7000 Enclosure, which statements are true? (Select two.)

- A. The Onboard Administrator module on the left is always the active module.
- B. The Onboard Administrator module on the right is always the active module.
- C. Either Onboard Administrator module can be the active module.
- D. For proper configuration replication between these two Onboard Administrator modules, a trust relationship must be established in the Onboard Administrator GUI.
- E. Configuration data is constantly replicated from the active Onboard Administrator module to the standby Onboard Administrator module.

Answer: C,E

**Question No : 22 - (Topic 0)**

What is an advantage of using storage virtualization compared to traditional RAID?

- A. greater system redundancy due to same drive capacity and speed
- B. improved availability level in the environment
- C. increased data protection because the physical distribution of data is displayed at all times
- D. shortened time of maintenance shutdown in order to expand the drive capacity

Answer: B

**Question No : 23 - (Topic 0)**

Which storage solution supports virtualization and consists of shared network infrastructure components, external storage devices, and value-added software?

- A. direct-attached storage (DAS)
- B. network-attached storage (NAS)
- C. storage area network (SAN)
- D. Fibre Channel arbitrated loop (FC-AL)

**Answer: C**

**Question No : 24 - (Topic 0)**

What is required to integrate HP SIM with Oracle on a Windows-based central management server (CMS)?

- A. Configure HP SIM to use Windows authentication with Oracle.
- B. Create a dedicated database user account for HP SIM to use when connecting to Oracle.
- C. Use the CLI to change the default password generated by HP SIM during installation.
- D. Enable discrete transactions within Oracle.

**Answer: B**

**Question No : 25 - (Topic 0)**

What happens to newly found, automatically discovered systems before they are added to the HP Systems Insight Manager (HP SIM) database?

- A. Configured discovery filters are applied.
- B. Pre-defined tasks are automatically executed.
- C. Associations are made.
- D. Management agents are immediately upgraded.

**Answer: A**

**Question No : 26 - (Topic 0)**

Which features are included with the HP Modular Cooling System? (Select three.)

- A. hot-swappable components