



CSE RSA enVision Essentials (new update)

Version: 12.0

[Total Questions: 97]

http://www.maitiku.com QQ:860424807



Question No:1

What happens if an event source device type is not immediately recognized by RSA enVision? (Check the one best answer.)

A. It will be defined as "unknown" and for a limited time enVision will collect event data it generates

B. Data from that device will be discarded until the device type can be defined

C. An alert is generated by default to call an administrator's attention to the device

D. The UDS Service will create a parsing XML file for the device and place data in the NIC Parse

Cache

Answer: A

Question No : 2

When setting up a Check Point firewall device, which of the following is a good practice that should be completed first? (Check the one best answer.)

- A. Stop and restart the Check Point Firewall Service
- **B.** Stop and restart the enVision NIC Collector Service
- C. Verify that the CheckPoint Log Viewer is receiving events
- D. Set an 8-character key to establish an authenticated connection

Answer: C

Question No:3

How many Remote Collectors (RC) can each Database Server (D-SRV) support? (Check the one

best answer.)

A. Eight (8)
B. Ten (10)
C. Sixteen (16)
D. Thirty two (32)

Answer: C



Question No: 4

After creating a customized Report Menu system, which RSA envision service(s) need to be restarted?

- A. Only the NIC Webserver Service
- B. The NIC Webserver and NIC Server Services
- C. The NIC Webserver, NIC Server and NIC Locator Services
- D. The NIC Webserver, NIC Server, NIC Locator, and NIC Packager Services

Answer: A

Question No:5

When opening a connection in Event Explorer, you can define which of the following features? (Check the three correct answers.)

- A. Devices
- B. Event categories
- C. Log messages
- D. Time frame
- E. Local collector

Answer: A,B,D

Question No:6

In the RSA enVision UDS process, what is the purpose of performing Data Reduction steps? (Check the one best answer.)

- **A.** Improve speed and efficiency of data processing
- B. Compress unsupported device data prior to storage
- **C.** Apply ISO-approved abbreviations to message text strings
- D. Decrease the rate that unsupported device data is collected

Answer: A



Question No:7

If a customer has a specific syslog that they would like to use as part of a demonstration, you can

load it into enVision for reporting and querying using which of the following? (Check the one best

answer.)

- A. The Isdata utility to import the syslog file
- B. Copying the syslog file into the IPDB data directory
- C. Using the Data Injector utility to collect data from the syslog file
- D. Using the Custom Reports ?View External Data function of the administrative GUI

Answer: C

Question No:8

When planning an RSA enVision installation, which statements below about the Site Name are

important considerations? (Check two answers.)

A. The Site Name mustmatch an enVision domain name

B. The Site Name mustbe unique within an enVision domain and cannotbe the same as the customer's NetBIOSdomain name

C. The Site Name mustnot contain any numeric or punctuation characters

D. The Site Name musthave the same suffix as the Windows domain in which it resides

E. The Site Name must not match the name of any existing Windows domain in the network

Answer: B,E

Question No:9

Why would the checkbox of a device type be grayed out On the Manage Device Types screen? (Check the one best answer.)

- A. It's not licensed
- **B.** Device is unknown but data can be collected



C. Device is known but not compatible with enVision

D. Device is associated with a monitored device within the NIC domain

Answer: D

Question No : 10

True or false. If a conflict exists with the default enVision collection port after appliance installation, the Collector Service can be modified to configure event collection on a different port

A. True

B. False

Answer: A

Question No : 11

When would you expect a difference between the log information captured by RSA enVision and the log information generated by a device? (Check the one best answer.)

- **A.** When the source IP address of the device is unknown to enVision.
- **B.** When the device is configured to send only certain events to syslog.

C. When "Collect All Logs" is left unchecked in the Manage Devices screen.

D. When the device is a known device and enVision recognizes the events to be non-critical.

Answer: B

Question No : 12

In RSA enVision UDS development, Value Maps, Regular Expressions, and Functions are types of which of the following? (Check the one best answer.)

- A. Data Reduction
- B. XML Parsing Rules
- C. Conditional Variables
- **D.** Summary Data Buckets

Answer: C



Question No : 13

Which RSA enVision module is used to configure the enVision system as well as to monitor its

health and performance? (Check the one best answer.)

- A. Overview module
- B. Alerts Module
- C. Analysis Module
- **D.** Reports Module

Answer: A

Question No : 14

When initially setting up a multiple appliance site, only the D-SRV unit is connected to a LAN ?all of the other units in the site then connect directly to the D-SRV.

A. True

B. False

Answer: B

Question No : 15

When creating a new enVision user account, which User Group is the account added to by default? (Check the one best answer.)

- A. Report-users
- B. Administrators
- C. Temporary-users
- D. All-applications-users

Answer: D



Question No : 16

What are three steps that are part of the device interpretation process using UDS? (Check the three best answers.)

- A. Configure devices to send log data to RSA enVision
- B. Device identification (i.e. vendor, device name, class, sub-class, etc.)
- C. Identification of device collection method
- D. Message definition
- E. List of known vulnerabilities
- F. Data parsing

Answer: B,D,F

Question No: 17

The administrator can use the RSA enVision's user authentication feature to complete what tasks? (Check two answers.)

- A. Use an existing Microsoft Active Directory authentication server
- B. Associate administrative users with an authentication server
- C. Require enVision users to change passwords on a periodic basis
- **D.** Enforce a pre-defined set of 'prohibited passwords' based on a dictionary file

E. Utilize existing domain authenticated user accounts as the basis for enVision user accounts

Answer: A,E

Question No : 18

What two tasks does UDS complete when the command "uds reate" is executed to create a

device? (Check the two best answers.)

A. Creates the files <devicename>.ini, <devicename>client.txt, <devicename>vendor.txt and

<devicename>msg.xml

- B. Immediately starts collecting data from the new device
- C. Identifies all associated devices that have been configured
- **D.** Create all directory structures required for the device