

# Cisco

## Exam 500-260

### Cisco ASA Express Security (SAEXS)

Version: 6.0

[ Total Questions: 50 ]

**Question No : 1**

Which three Fire POWER services features require a subscription license? (Choose three.)

- A. URL filtering
- B. AVC
- C. high availability
- D. AMP
- E. IPS
- F. identity visibility

**Answer: A,D,E**

**Question No : 2**

Which application is required to enable Microsoft Active Directory identity integration for FirePOWER services?

- A. Sourcefire User Agent
- B. Microsoft Active Directory Manager
- C. Cisco Directory Agent
- D. Microsoft Active Directory Agent

**Answer: A**

**Question No : 3**

Which impact flag indicates that action is to be taken immediately?

- A. 0
- B. 1
- C. 5
- D. 4

**Answer: B**

**Question No : 4**

Refer to the exhibit.

```
ASA5520# show vpn-session anyconnect
Username      : engineer1          Index      : 76
Assigned IP   : 10.0.4.80        Public IP  : 172.26.26.15
Protocol      : Clientless SSL-Tunnel DTLS-Tunnel
License       : AnyConnect Premium
Encryption    : RC4 AES128        Hashing    : SHA1
Bytes Tx      : 63506            Bytes Rx   : 17216
Group Policy  : engineering      Tunnel Group : contractor
Login Time    : 11:35:57 UTC Thu Jul 1 2011
Duration      : 0h:01m:52s
Inactivity    : 0h:00m:00s
NAC Result    : Unknown
VLAN Mapping  : Static           VLAN       : 100
```

A NOC engineer needs to tune some postlogin parameters on an SSL VPN tunnel. From the information shown, where should the engineer navigate to, in order to find all the postlogin session parameters?

- A. "engineering" Group Policy
- B. "contractor" Connection Profile
- C. DefaultWEBVPNGroup Group Policy
- D. DefaultRAGroup Group Policy
- E. "engineer1" AAA/Local Users

**Answer: A**

#### Question No : 5

Which three policy types are configured using Fire SIGHT Management Center? (Choose three.)

- A. remote access
- B. file
- C. health
- D. network discovery
- E. malware
- F. access list
- G. firewall

**Answer: B,C,D**

**Question No : 6**


Which two Cisco ASA licensing features are correct with Cisco ASA Software Version 8.3 and later? (Choose two.)

- A. Identical licenses are not required on the primary and secondary Cisco ASA appliance.
- B. Cisco ASA appliances configured as failover pairs disregard the time-based activation keys.
- C. Time-based licenses are stackable in duration but not in capacity.
- D. A time-based license completely overrides the permanent license, ignoring all permanently licensed features until the time-based license is uninstalled.

**Answer: A,C**

**Question No : 7**

Refer to the exhibit.



#	Enabled	Source	Destina...	Service	Action	...	...	..	Description
Global (2 rules)									
1	<input checked="" type="checkbox"/>	any	any	http	Permit				
2	<input type="checkbox"/>	any	any	ip	Deny				Implicit rule

Which traffic is permitted on the inside interface without any interface ACLs configured?

- A. any IP traffic input to the inside interface
- B. any IP traffic input to the inside interface destined to any lower security level interfaces
- C. only HTTP traffic input to the inside interface
- D. only HTTP traffic output from the inside interface
- E. No input traffic is permitted on the inside interface
- F. No output traffic is permitted on the inside interface

**Answer: C**

**Question No : 8**