

Sybase Exam 510-015

ase 12.0 server administration professional

Version: 5.0

[Total Questions: 118]



Topic 0, A

Α

Question No : 1 - (Topic 0)

Given:

The employees table has an index created as follows:

create index emp_index1

on employees(last name, first name desc)

Which of the following queries would not require a sort? (Choose 2)

A. select * from employees order by last_name, first_name

B. select * from employees order by last_name ASC, first_name DESC

C. select * from employees order by first_name DESC, last_name ASC

D. select * from employees order by last_name DESC, first_name ASC

Answer: B,D

Question No : 2 - (Topic 0)

Given: number of worker processes = 10, max parallel degree = 5, max scan parallel degree = 4. Table A has the following characteristics: Datarows locking, No indexes, a column named price, 5000 rows, 4 partitions. A user executes the following query: Select * from A where price < \$10. Which of the following conditions would cause the query to run in serial instead of parallel? (Choose 2)

- A. there are not enough worker processes available at run time
- **B.** the database option select into/bulkcopy/pllsort is not set to true
- C. the partition skew is 2.3
- **D.** the database is set for single user mode
- E. max parallel degree does not match the number of partitions

Answer: A,C

Question No: 3 - (Topic 0)

Which of the following statements describes readpast locking? (Choose 2)



- A. It can be specified at the session, transaction, and table level.
- **B.** It allows insert, update, and delete commands to read past any incompatible lock.
- C. It allows readers to not block writers.
- **D.** It allows select and readtext queries to silently skip all rows or pages locked with incompatible locks.

Answer: B,D

Question No: 4 - (Topic 0)

The ACME company has an 8 CPU SMP system running Adaptive Server Enterprise (ASE). The ASE server has been allocated 1.5 GB of 2.0 GB of memory available. The ASE server has been allocated 2 engines. There are 1,000 concurrent users of the ASE server.

The sp_sysmon report shows the spinlock contention rate averages 70-80% for the default data cache.

Which steps can be taken to correct this performance problem?

- A. Add a 16KB buffer pool to the server.
- **B.** Increase the size of the tempdb database.
- C. Add two engines to the ASE server.
- **D.** Add named caches to and bind the appropriate objects to the named caches.
- **E.** Add more locks to the server.

Answer: D

Question No: 5 - (Topic 0)

What is the purpose of dsync flag?

- A. to synchronize primary and mirrored devices
- B. to synchronize primary and secondary databases
- C. to control whether writes to operating system files are buffered or not
- D. to control Backup Server's access to a dump device

Answer: C



Question No: 6 - (Topic 0)

All of the following execution class associations exist in the ASE when user FRED, running application ctisql, logs in. Which one will be applied to FREDs session?

- A. sp_bindexeclass ctisql, AP, NULL, EC1
- B. sp_bindexeclass ctisql, AP, FRED, EC2
- C. sp bindexeclass FRED, LG, NULL, EC1
- D. sp_bindexeclass FRED, LG, ctisql, EC2
- E. It depends on the order of the creation of the bindings

Answer: B

Question No: 7 - (Topic 0)

The reorg command may be used to: (Choose 2)

- **A.** Compact a table that uses datarows locking.
- **B.** Reclaim unused space in a table that uses allpages locking.
- C. Reclaim unused space in an index that uses datapages locking.
- **D.** Rebuild a table that uses allpages locking.

Answer: A,C

Question No : 8 - (Topic 0)

What are some ways to reduce last data page lock contention for inserts? (Choose 3)

- **A.** alter the table to use the Datarows locking scheme
- **B.** alter the table to use the Datapages locking scheme
- **C.** partition the table
- **D.** create a clustered index on a random key
- **E.** increase the server configuration for the number of locks
- **F.** increase the server configuration for the deadlock checking period

Answer: A,C,D

Question No: 9 - (Topic 0)



The "abstract plan language" is:

- **A.** A language used to tell the optimizer how to process a query.
- **B.** The internal command language used by sp_sysmon.
- **C.** A new type of command language for creating very complicated queries.
- **D.** The language used internally by the server for planning the most efficient use of memory.

Answer: A

Question No : 10 - (Topic 0)

Which two actions can cause locking on system tables in tempdb? (Choose 2.)

- **A.** create table in tempdb
- B. select into a #temptable
- C. worktables created for reformatting
- **D.** selecting from a large table in tempdb

Answer: A,B

Question No : 11 - (Topic 0)

Review the sp_sysmon section below.

Procedure Cache Management	per sec	per xact	count	% of total
Procedure Requests	242.6	5.4	150267	n/a
Procedure Reads from Disk	1.8	0.0	1104	0.7 %
Procedure Writes to Disk	0.0	0.0	0	0.0 %
Procedure Removals	3.5	0.1	2180	n/a

Which statement is correct about this server's stored procedure activity?

- **A.** This ASE server executes one committed transaction for each stored procedure executed.
- **B.** 99.3% of the stored procedures are run using the WITH RECOMPILE option.



- C. This report fragment is useful when sizing the Procedure Cache of ASE.
- **D.** Additional online engines will be required to allow more stored procedures to execute per second.

Answer: C

Question No: 12 - (Topic 0)

When a row is deleted on a table with datarows locking:

- **A.** Rows on the page are moved up so the empty space is at the end of the page.
- **B.** The space occupied by the deleted row is not reclaimed immediately.
- **C.** The space occupied by the deleted row is filled with zeros.
- **D.** The last row on the page is moved into the space created by the deleted row.

Answer: B

Question No: 13 - (Topic 0)

The following query is executed frequently against the database.

What database denormalization technique could be used to improve the performance of this query?

- **A.** Move the au_lname and au_fname columns to the author_address table.
- **B.** Collapse the author_address and authors table into a single table.
- **C.** Move the city, state, and zip columns to the authors table.
- **D.** Create a view called mailing_address to eliminate the two table join from the query.
- **E.** Add the redundant column au_id to the author_address table.

Answer: B



Question No: 14 - (Topic 0)

The titles table has 50,000 rows and a nonclustered index on the price column. Which of the following queries use less logical I/Os?

- **A.** select "Min" = min(price), "Max" = max(price) from titles
- **B.** select "Min" = (select min(price) from titles), "Max" = (select max(price) from titles)
- **C.** They will both use the same number of I/Os

Answer: B

Question No : 15 - (Topic 0)

An application uses stored procedures to perform updates, inserts and deletes for an OLTP application. Some update stored procedures optimize with a join order of table_A -> table_B. Other stored procedures optimize with a join order of table_B -> table_A. Which solution needs to be added within the stored procedures to guarantee that deadlocks are reduced or eliminated by always making the join order table_A -> table_B?

- A. Non-correlated subqueries to force outside-in processing
- **B. SET FORCEPLAN ON**
- C. (index tableorder 1) an index hint applied to table_A
- D. SET SHOWPLAN ON
- E. Define join-ordered Views on the affected tables

Answer: B

Question No: 16 - (Topic 0)

The following are the server level lock promotion configuration parameters:

page lock promotion HWM 200

page lock promotion LWM 100

page lock promotion PCT 60

row lock promotion HWM 1800



row lock promotion LWM 1200

row lock promotion PCT 70

Table A is a datarows locked table. It has 200 data pages and every page has 10 data rows. A serial query has acquired 1400 data row locks. What kind of lock promotion will be attempted?

- **A.** No lock promotion
- **B.** Promotion to 140 page locks
- C. Promotion to 140 page locks, then to a table lock
- **D.** Promotion to a table lock

Answer: D

Question No: 17 - (Topic 0)

Given the following cursor code fragment,

declare title_cursor cursor

for select price from title

for update

go

declare@price money

open title_cursor

fetch title_cursor into @price

What locks are held on the row or data page with each fetch?

- A. Update locks
- **B.** Exclusive locks
- C. Shared locks
- D. No locks are held

Answer: A



Question No: 18 - (Topic 0)

Increasing the number of pre-allocated extents to 16 is likely to help the performance of which of the following operations?

- A. index creation
- B. bcp in
- C. select into
- D. alter table lock datarows
- E. dbcc checkstorage

Answer: B

Question No: 19 - (Topic 0)

If a DBA detects many page splits after data has been sequentially inserted by an application, what is the best option to minimize the number of future page splits?

- A. deactivate the ascinserts option on the table
- **B.** set the max_row_per_page to a low value
- C. set the fillfactor to a low value at server level
- **D.** activate the ascinserts option on the table
- **E.** set the fillfactor to a low value at table level

Answer: D

Question No : 20 - (Topic 0)

Which of the following operations require "quiesce database"?

- **A.** altering the database to a new size
- **B.** performing non-Sybase unmirroring and backup operations.
- C. truncating the transaction log
- **D.** dumping the database using Sybase Backup Server.

Answer: B

Question No : 21 - (Topic 0)