

Sybase

Exam 510-306

powerbuilder 8.0 developer assciate

Version: 5.0

[Total Questions: 100]

Topic 0, A

A

Question No : 1 - (Topic 0)

You write a script that uses dot notation to manipulate a DataWindow column property. What is the behavior when the property name is misspelled? (For example: dw_1.Object.emp_name.Visibl = "0")

- A. The script will not compile.
- B. The script will compile, but the code in the DBError event will execute at run time.
- C. The script will compile, but the code in the Error event for dw_1 will execute at run time.
- D. The script will compile, but the code in the ItemError event for dw_1 will execute at run time.

Answer: C**Question No : 2 - (Topic 0)**

Select three examples of script that correctly enable sharing of data among three DataWindows: the primary DataWindow that contains the data (dw_primary), and two secondary DataWindows that will display the same data (dw_secondary1 and dw_secondary2).

- A. dw_primary.SetTransObject(SQLCA)
dw_primary.Retrieve()
dw_primary.ShareData(dw_secondary1)
dw_primary.ShareData(dw_secondary2)
- B. dw_primary.SetTransObject(SQLCA)
dw_primary.ShareData(dw_secondary1)
dw_secondary1.ShareData(dw_secondary2)
dw_primary.Retrieve()
- C. dw_primary.SetTransObject(SQLCA)
dw_primary.ShareData(dw_secondary1)
dw_primary.ShareData(dw_secondary2)
dw_primary.Retrieve()
- D. dw_primary.SetTransObject(SQLCA)
dw_primary.Retrieve()
dw_secondary1.ShareData(dw_primary)
dw_secondary2.ShareData(dw_primary)

Answer: A,B,C

Question No : 3 - (Topic 0)

In a DataWindow control, if the user clicks on a row other than the current row, which event should be used to determine both the current row and the new row?

- A. RowChanged
- B. ItemChanged
- C. RowFocusChanged
- D. ItemFocusChanged
- E. RowFocusChanging

Answer: E

Question No : 4 - (Topic 0)

Which painter is used to associate a datawindow object with a datawindow control at design time?

- A. application painter
- B. datawindow painter
- C. library painter
- D. database painter
- E. window painter

Answer: E

Question No : 5 - (Topic 0)

Which of the following Targets are considered Web Targets?

- A. EAServer Component
- B. Dynamo WebSite
- C. WebSite
- D. Migrate PowerSite 7.1 Project(s)

Answer: B,C,D

Question No : 6 - (Topic 0)

For which two controls does GetItemAtPointer() return a reference to the item under the cursor?

- A. ListBox
- B. ListView
- C. TreeView
- D. DropDownListBox

Answer: B,C

Question No : 7 - (Topic 0)

Which is NOT a built-in global variable of an application?

- A. SQLCA
- B. Error
- C. Transaction
- D. Message

Answer: C

Question No : 8 - (Topic 0)

Which project is indicated for building a client application to access an EAServer component?

- A. Application Wizard
- B. Connection Object Wizard
- C. EAServer Component Wizard
- D. EAServer Proxy Wizard

Answer: D

Question No : 9 - (Topic 0)

What function is called to dynamically add a tab control to a window?

- A. Show()
- B. OpenTab()
- C. OpenSheet()

- D. InsertObject()
- E. OpenUserObject()

Answer: E

Question No : 10 - (Topic 0)

Two object-level functions with the same name but with argument lists that vary in number or in datatype are said to be _____.

- A. extended
- B. overlaid
- C. overridden
- D. overloaded

Answer: D

Question No : 11 - (Topic 0)

What type of data source can be used with a DataWindow but not with a Pipeline?

- A. query
- B. SQL select statement
- C. external
- D. stored procedure

Answer: C

Question No : 12 - (Topic 0)

The Timer event of a window can be initialized with which function?

- A. Start()
- B. Idle()
- C. Sleep()
- D. Timer()

Answer: D

Question No : 13 - (Topic 0)

Which of following will center a main window, w_sheet, opened as a sheet within a MDI frame, w_mdi?

- A. At design time, select the center property checkbox of w_sheet.
- B. In the open event of w_sheet, set this.center = TRUE.
- C. In the open event of w_sheet, set w_mdi.center = TRUE.
- D. Sheets cannot be centered within an MDI frame.

Answer: B

Question No : 14 - (Topic 0)

The Throws clause of a method signature should include:

- A. A list of the checked exceptions that are caught by the method.
- B. A list of the checked exceptions that may be thrown by the method.
- C. A list of the checked exceptions that are either caught or thrown by the method.
- D. A list of all exceptions that are either caught or thrown by the method, regardless of their type.

Answer: B

Question No : 15 - (Topic 0)

Which of the following presentation styles are NOT supported by the WEB DataWindows?

- A. Composite
- B. Crosstab
- C. Freeform
- D. Graph
- E. Group
- F. N-Up

Answer: A,D

Question No : 16 - (Topic 0)

If multiple sheets are open in an MDI Frame and the user selects a different open sheet, what Window event would the developer code to re-initialize any instance variables on the sheet before allowing user access?

- A. Show
- B. Key
- C. Activate
- D. Open

Answer: C

Question No : 17 - (Topic 0)

Which of the following display an objects inheritance hierarchy? (choose two)

- A. Browser
- B. Library Painter
- C. System Tree
- D. Script View
- E. Debugger

Answer: A,D

Question No : 18 - (Topic 0)

Using listbox lb_1 to show the order in which events are executed for a datawindow control, the following line of code is added to each event of the datawindow control:

```
lb_1.AddItem(<event_name>) // where event_name is the name of the event
```

For example, the constructor event starts with:

```
lb_1.AddItem(constructor)
```

Which of the following properties should also be set for the listbox control lb_1?

- A. Sorted = False
- B. BringToTop = False
- C. VScrollBar = True
- D. Enabled = True