

**Cisco 642-279**

**Installing TelePresence Video Immersive Systems**  
**Exam**  
**Version: 4.2**

**QUESTION NO: 1**

Where are the current E. 164 alias, H.323 ID, and TCU IP setting displayed?

- A. the top of the operator interface in the Device Overview
- B. the bottom of the operator interface
- C. the top of the administrator interface
- D. the bottom of the administrator interface

**Answer: C**

**Explanation:**

**QUESTION NO: 2**

What is the correct sequence to upgrade the Cisco Telepresence Server?

- A. Navigate to the Configuration tab. Click Upload software imago
- B. Navigate to the Configuration tab. Click Browse, and choose the software image. Click Upload software image.
- C. Use a client like WinSCP to upload the new software image on the Cisco Telepresence Server and reboot the server.
- D. Navigate to the Configuration tab and choose Upgrade Software. Reboot the server The Cisco Telepresence Server automatically uploads the latest software image.

**Answer: B**

**Explanation:**

**QUESTION NO: 3**

Which of the following is a real part of a standard shipment of a Cisco Telepresence T3 system?

- A. three boxes with T1 displays
- B. three boxes with TCU, table monitors
- C. one box with table tops
- D. two boxes with overhead lighting

**Answer: B**

**Explanation:**

**QUESTION NO: 4**

Which method can you use to remotely issue commands to the TCU?

- A. an SSH client such as PuTTY
- B. an SCP client such as WinSCP
- C. a Telnet client
- D. any web browser that supports HTTPS

**Answer: A**

**Explanation:**

**QUESTION NO: 5**

Which Cisco Telepresence Server diagnostic tool shows the most recent shutdown and upgrade events?

- A. activated feature status
- B. system status
- C. system log
- D. conference status

**Answer: C**

**Explanation:**

**QUESTION NO: 6**

Which one of the following options describes a Cisco Telepresence multipoint call?

- A. A call between more than two Cisco Telepresence T3 systems.
- B. A call between two Cisco Telepresence T3 systems and a regular endpoint.
- C. A call between a Cisco Telepresence T3 and up to two regular endpoints.
- D. A call between a Cisco TelePresenc T3 and more than two regular endpoints.

**Answer: D**

**Explanation:**

**QUESTION NO: 7**