

# **Microsoft**

# Exam 70-490

Recertification for MCSD: Windows Store Apps using HTML5

Version: 7.0

[Total Questions: 88]



# Topic break down

Topic	No. of Questions
Topic 1: Scenario 1	4
Topic 2: Scenario 2	4
Topic 3: Scenario 3	8
Topic 4: Scenario 4	6
Topic 5: Scenario 5	4
Topic 6: Scenario 6	4
Topic 7: Mix Questions	58



### Topic 1, Scenario 1

# **Application Information**

You are developing two Windows Store apps by using JavaScript: a Personal Trainer app and a Client app. The apps will allow personal fitness trainers to interact with their remote clients.

#### **Business Requirements - Personal Trainer Application**

The Personal Trainer app must allow trainers to perform the following tasks:

- Create and store video and audio recordings of workout routines.
- # View the profile and workout recordings for only one client at any time.

#### **Business Requirements - Client Application**

The Client app must allow clients to perform the following tasks:

- ## Browse a list of the trainer's workout recordings.
- # Record workouts by using the built-in webcam.
- # Play, pause, restart, and stop workout recordings.
- If the capability is supported, allow the client's webcam to pan as the client moves around the room.
- Upload workout recordings for trainer review.
- Update their individual profiles to indicate workouts completed, calories burned, and current weight.

The Client app must validate that the client's subscription is valid.

# **Technical Requirements - General**

The Personal Trainer and Client apps must meet the following technical requirements:

- Connect to the Internet.
- Store workout recordings in the cloud.
- # Enable retrieval of workout recordings by using a custom URL
- # Encapsulate the video player in a custom control.
- # Identify the maximum zoom of the user's webcam in millimeters.
- Store client profiles in XML files in the trainers' Documents folders to allow for disconnected editing.
- Synchronize the XML files with cloud storage by using a background task when the Internet is available.
- Separate business and complex logic into WinMD components. The solution debugging settings must include the WinMD components.

#### **Technical Requirements - Hardware Requirements**

The Personal Trainer and Client apps must support the following hardware requirements:

- Windows 8
- # Webcam, microphone, and speakers
- Internet connection



While testing the apps, you identify the following issues:

- When you start the app for the first time, the system displays this warning message: "This app needs permission to use your camera, which you can change in the app's settings."
- When you run the loadClientProfile() method in the clientData.js file, you receive an 'Access Denied" exception.
- The findCamera() method in the video.js file throws an exception on some devices.
- The recordVideo() method in the video.js file throws an exception when the device does not support tilting.

```
CD01 function loadClientProfile() {
      var fop = new Windows.Storage.Pickers.FileOpenPicker();
       fop.viewMode = Windows.Storage.Pickers.PickerViewMode.thumbnail;
CD03
CD04
      fop.fileTypeFilter.replaceAll([".xml"]);
CD05
CD06
         (function (file) {
CD07
CD08
           if (file) {
            display(file);
CD09
CD10
CD11
          else {
            processError(file);
CD12
CD13
CD14
         });
CD15 }
CD16
CD17 function saveClientProfile() {
CD18 var sp = new Windows.Storage.Pickers.FileSavePicker();
CD19
      sp.defaultFileExtension = ".xml";
      sp.suggestedFileName = "New Client";
CD20
CD21
CD22
CD23
     sp.pickSaveFileAsync().then(
       function (file) {
CD24
CD25
           if (file) {
            displaySaved(file);
CD26
           }
CD27
CD28
           else {
            processError(file);
CD29
CD30
CD31
         });
CD32 }
```



#### video.js

```
VD01 function recordVideo() {
VD02 var device = new Windows.Media.Capture.MediaCapture();
VD03 var videoDev = device.videoDeviceController;
VD04 var canTilt = videoDev.tilt.capabilities.supported;
VD05
VD06
VD07
VD08 }
VD09
VD10 var cameraID;
VD11
VD12 function findCamera() {
      var deviceInfo = Windows.Devices.Enumeration.DeviceInformation;
VD13
VD14 deviceInfo.findAllAsync(Windows.Devices.Enumeration.DeviceClass.videoCapture).then
(function (devices)
         cameraID = devices[0].id;
VD15
       }, errorHandler);
VD16
VD17 }
VD18
```

#### background.js

```
BG01 function registerBackgroundTask(condition) {
      var builder = new Windows.ApplicationModel.Background.BackgroundTaskBuilder();
      builder.name = "videoLoader";
BG03
     builder.taskEntryPoint = "background.js";
BG05
      builder.setTrigger(
       Windows.ApplicationModel.Background.SystemTrigger(
BG07
BG08
       ));
BG09
BG10
BG11 }
BG12
BG13 function unregisterBackgroundTask() {
BG14
BG15
      var i = tasks.hasCurrent;
      while (i) {
BG16
        var task = tasks.current.value;
BG18
        if (task.name === "videoLoader") {
BG19
          task.unregister(true);
BG20
BG21
         i = tasks.moveNext();
BG22
     }
BG23 }
```

# Question No: 1 - (Topic 1)

You need to debug the error that is displayed in the warning message.

What should you do?



OA Insert the following code segment at line VD18:

```
var result = new Windows.Media.Capture.CameraCaptureUI();
result.videoSettings.setCameraEnabled();
```

- OB. In the appsettings.appxmanifest file, add Camera Settings to the available declarations.
- Oc. Insert the following code segment at line VD18:

```
var result = new Windows.Media.Capture.CameraCaptureUI();
result.photoSettings.setCameraEnabled();
```

- OD. In the package.appxmanifest file, set the Webcam property in the Capabilities list.
- A. Option A
- B. Option B
- C. Option C
- **D.** Option D

**Answer: D** 

# Question No : 2 - (Topic 1)

You need to retrieve the background task collection for the iteration loop.

Which code segment should you insert at line BG14?

**A.** var tasks = Windows.ApplicationModel.Background.BackgroundTaskRegistration.first();

**B.** var tasks =

Windows.ApplicationModel.Background.BackgroundTaskRegistration.allTasks.first();

C. var tasks =

Windows.ApplicationModel.Background.BackgroundTaskBuilder.allTasks.first();

D. var tasks =

Windows.ApplicationModel.Background.BackgroundTaskRegistration.allTasks();

**Answer: B** 

## Question No: 3 - (Topic 1)

You need to complete the code to start the background task.



Which code segment should you insert at line BG07?

- **A.** Windows.ApplicationModel.Background.SystemTriggerType.servicingComplete.true
- B. Windows.ApplicationModel.Background.SystemTriggerType.userPresent.true
- $\textbf{C.}\ Windows. Application Model. Background. System Trigger Type. internet Available. false$
- **D.** Windows.ApplicationModel.Background.SystemTriggerType.userAway.false

**Answer: C** 

# Question No : 4 - (Topic 1)

You need to set the default storage location for the client profiles. Which code segment should you insert at line CD04?

- **A.** fop.suggestedStartLocation = Windows.Storage.Pickers.PickerLocationId.documents Library;
- **B.** fop.defaultFolder = Windows.Storage.Piekers.PickerLocationId.documents Library;
- **C.** fop.suggestedStartLocation = Windows.Storage.Pickers.PickerLocationId.videosLibrary;
- **D.** fop.suggestedStartLocation = "%AppData%";

Answer: B

#### Topic 2, Scenario 2

#### **Background**

You are developing an app for an automotive manufacturer. The app will display information about the vehicle, the vehicle owner's manual, and the maintenance schedule. The app will be available to install from the Windows Store.

#### **Business Requirements**

The app must meet the following business requirements:

- Allow users to store their vehicle information to identify the correct information to display within the app.
- Send notifications by using tile updates when a scheduled maintenance is approaching or past due.



## **Technical Requirements**

The app must meet the following technical requirements.

#### **User Experience**

- The app user interface must follow Microsoft design guidelines.
- The user must be able to insert or update service records.
- The user must be able to filter service records by date or service type.
- The user must be able to navigate between various Darts of the app including but not limited to the Mainscreen, Service Record screen, and Owner's Manual screen.
- The user cannot switch between categories by using the Back button.
- The data from the cloud service must automatically populate the Service Record screen.
- The Main screen must have a dark background. All other screens must have a light background with contrasting colored text.
- All media items must start when the user interacts with them and stop immediately when a video ends.
- The app must accept and display tile messages and notification messages from the cloud service.
- The navigational icons must not be displayed if the content of the screen does not require such display.
- Any page of the owner's manual must be able to be pinned to the Windows Start screen.
- # When the app is pinned to the Windows Start screen all live tile sizes must be available to the users.
- When a specific app page is pinned to the Windows Start screen, the page tile cannot be wider or taller than the dimensions of a wide tile.

#### **Development**

- The app must use Microsoft Visual Studio preconfigured templates with built-in data structures.
- # External notifications must be delivered by using Windows Push Notification Services (WNS).
- The app must be able to receive push notifications from a Microsoft Azure Mobile Services endpoint.
- ## Each HTML file must be supported by similarly named JavaScript and CSS files (for example, myFile.html, myFile.js myFile.css).

#### File: main.html

Relevant portions of the app files are shown below. Line numbers in the code segments are included for reference only and include a two-character prefix that denotes the specific file to which they belong.



```
MHØ1 <!DOCTYPE html>
MH02 <html>
MH03 <head>
MHØ4
       <div class="section3" data-win-control="WinJS.UI.HubSection" data-win-options="{ isHeaderStatic:</pre>
MH05
true }
       data-win-res="{ winControl: {'header': 'Section3'} }">
MH06
         <div class="top-image-row"
MH07
MH08
           <video id="playMedia" style="position: relative;" poster="/images/blank1.jpg"></video>
MH09
MH10
         <div class="sub-image-row">
          <img src="/images/media1.jpg" id="playMedia1" />
<img src="/images/media2.jpg" id="playMedia2" />
<img src="/images/media3.jpg" id="playMedia3" />
MH11
         <div class="win-type-medium" data-win-res="{ textContent: 'DescriptionText' }"></div>
MH15
        <div class="win-type-small">
MH17
           <span data-win-res="{ textContent: 'Section3Description' }"></span>
MH18
        </div>
MH19 </div>
MH20 .
MH21 </html>
```

#### File: main.js

Relevant portions of the app files are shown below. Line numbers in the code segments are included for reference only and include a two-character prefix that denotes the specific file to which they belong.

```
(function () {
MJ01
MJ@2
        "use strict";
MJ03
MJ04
        });
MJ05
     })();
     function playMedia(e) {
MJ06
MJ07
        return function () {
          var vid = WinJS.Utilities.query("#playMedia")[0];
MJ08
MJ09
          switch(e)
MJ10
MJ11
            case 1:
              src = "media/movie1.mp4";
MJ12
MJ13
              break:
MJ14
            case 2:
              src = "media/movie2.mp4";
MJ15
              break:
MJ16
MJ17
           default:
MJ18
              src = "media/movie3.mp4";
MJ19
          vid.src = src;
MJ20
MJ21
          vid.play();
MJ22
        };
MJ23
```

#### File: manual.html

Relevant portions of the app files are shown below. Line numbers in the code segments are included for reference only and include a two-character prefix that denotes the specific file to which they belong.



```
OH01 <!DOCTYPE html>
OH02 <html>
OH03 <head>
       <meta charset="utf-8" />
OH05
       <title>manual</title>
OH06
       <link href="//Microsoft.WinJS.2.0/css/ui-dark.css" rel="stylesheet" />
       <script src="//Microsoft.WinJS.2.0/js/base.js"></script>
OH07
       <script src="//Microsoft.WinJS.2.0/js/ui.js"></script>
0H08
       <link href="manual.css" rel="stylesheet" />
OH09
      <script src="manual.js"></script>
OH11 </head>
OH12 <body>
OH13
       <div class="manual fragment">
         <header aria-label="Header content" role="banner">
OH14
          <button data-win-control="WinJS.UI.BackButton"></button>
OH15
          <h1 class="titlearea win-type-ellipsis">
OH17
             <span class="pagetitle">Owner's Manual</span>
           </h1>
OH18
OH19
         </header>
         <section aria-label="Main content" role="main">
OH20
          Owner's Manual Content
OH21
         </section>
OH22
OH23
         <div id="appBar" data-win-control="WinJS.UI.AppBar" data-win-options="">
OH24
           <button data-win-control="WinJS.UI.AppBarCommand"</pre>
            data-win-options="{id:'cmdPin',label:'Pin To Start',icon:'pin',
            section: 'global', tooltip: ''}"></button>
OH25
         </div>
       </div>
OH26
OH27 </body>
OH28 </html>
```

# File: manual.js

Relevant portions of the app files are shown below. Line numbers in the code segments are included for reference only and include a two-character prefix that denotes the specific file to which they belong.