

# Aruba

## Exam ACMP\_6.3

**Aruba Certified Mobility Professional 6.3**

Version: 6.0

[ Total Questions: 165 ]

**Question No : 1**

Which of the following Aruba controllers is able to provide IEEE 802.3af? (Choose two)

- A. 3200
- B. 620
- C. 650
- D. 6000 with M3
- E. 7000

**Answer: B,C**

**Question No : 2**

What is the maximum number of remote APs supported by a 3600 controller?

- A. 512
- B. 1024
- C. 128
- D. 256
- E. 2048

**Answer: A**

**Question No : 3**

Which dual radio access point models support concurrent operations in the 2.4Ghz band as well as the 5Ghz band? (Choose three)

- A. AP-92
- B. AP-93
- C. AP-105
- D. AP-224
- E. AP-135

**Answer: C,D,E**

**Question No : 4**

Which of the following APs do NOT support dual radio operations?(Choose two)

- A. AP 93
- B. AP 105
- C. RAP 3WN
- D. AP 224
- E. AP 135

**Answer: A,C**

**Question No : 5**

Centralized licensing is not in use on an Aruba based network which has a Master and three local controllers. No APs terminate on the Master controller. Roles and Firewall policies need to be created and applied, hence PEF-NG license is required

On which controller should the license be installed?

- A. Only the master controller since role and firewall policies are created here.
- B. Only the local controllers since firewall policies are applied here
- C. The master and all three local controllers
- D. This isn't the correct license for this purpose, use PEF-VPN license
- E. This is not needed because PEF-NG is part of base OS

**Answer: C**

**Question No : 6**

What information do you need to generate a feature license key for an Aruba controller?

- A. The controller's MAC address and the feature description.
- B. Controller's MAC address and the certificate number
- C. Controller's Serial Number and the feature description
- D. Controller's Serial Number and the certificate number
- E. Controller's MAC address and Serial Number

**Answer: D**

**Question No : 7**

What are the PEF-NG license limits based on?

- A. Number of APs
- B. One license per controller
- C. Number of users
- D. Number of local controllers
- E. Master Controller total user count

**Answer: A**

**Question No : 8**

Which of the following licenses are consumed by Mesh APs advertising an SSIDs?

- A. AP license
- B. Mesh license
- C. PEF-V license
- D. No license is required
- E. RAP License

**Answer: A**

**Question No : 9**

The permanent licenses on the controller will be deleted with the use of which command?

- A. Delete license
- B. Write erase
- C. Licenses cannot be deleted once activated
- D. Write erase all
- E. Reboot delete all

**Answer: D**

**Question No : 10**

A network administrator wants to terminate VPN sessions on a local controller in the DMZ. Which statement is true about the PEF-VPN license?

- A. It is only applied to the master controller
- B. It is only applied to the DMZ controller.
- C. It is based on the number of APs
- D. One license is needed on the master and the DMZ local
- E. It is distributed by the license server as needed

**Answer: D**

**Question No : 11**

What is the best practice regarding licensing for a backup master to support Master Redundancy in a network without centralized licensing?

- A. Backup master only requires the AP license
- B. Supported limits and installed licenses should be the same on primary master and backup Master
- C. Licenses are pushed from the primary to the backup Master along with the configuration
- D. The Backup Master does not require licenses to support master redundancy
- E. On the backup only one license of each type is needed.

**Answer: B**

**Question No : 12**

Which of the following licenses can be included in the licensing pool for centralized licensing? (Choose three)

- A. Factory default licenses
- B. PEFNG license
- C. Evaluation licenses
- D. RFProtect license
- E. PEFV license

**Answer: B,C,D**

**Question No : 13**

By default Centralized licensing messages between master controllers are sent \_\_\_\_\_.

- A. In the clear unencrypted
- B. Using CPSec
- C. Using IPSec site to site VPN tunnels
- D. Encrypted using GRE
- E. PAPI

**Answer: A**

**Question No : 14**

Which of the following will occur if a master license server fails with no standby server present? (Choose two)

- A. Local controllers licenses will continue to be valid for 30 days
- B. Local controllers will immediately remove all installed licenses
- C. No licenses will be sent to any new controllers that come online
- D. All licenses go back into the pool for redistribution
- E. A Local Controller elects itself master license server

**Answer: A,C**

**Question No : 15**

Which may be applied directly to an VLAN interface? (Choose three)

- A. Access List (ACL)
- B. Firewall Policy
- C. Roles
- D. AAA profiles
- E. RF Plan Map

**Answer: A,B,D**

**Question No : 16**

When creating a firewall rule on an Aruba controller, which parameter is optional?

- A. Destination
- B. Service
- C. Source
- D. Log
- E. Action

**Answer: D**

**Question No : 17**

An administrator creates a WLAN with an unmodified default AAA profile. What is the default role the user is placed in?

- A. default-logon
- B. logon
- C. guest-logon
- D. default-ap
- E. AP-Role

**Answer: B**

**Question No : 18**

What is the first role a user is given when a user associates to an open WLAN?

- A. The guest post authentication role
- B. The initial role in the captive portal profile
- C. The role in the server group profile
- D. The initial role in the AAA profile
- E. The initial role in the 802.1x profile

**Answer: D**

**Question No : 19**

Which of the following could be used to set a user's post-authentication role or VLAN association? (Choose two)

- A. AAA default role for authentication method
- B. Server Derivation Rule
- C. Vendor Specific Attributes
- D. AP Derivation Rule
- E. The Global AAA profile

**Answer: B,C**

**Question No : 20**

Which describe "roles" as used on Aruba Mobility Controllers? (Choose two)

- A. Roles are assigned to users.
- B. Roles are applied to interfaces.
- C. Policies are built from roles.
- D. A user can belong to only one role at a time.
- E. Roles are a set of authentication rules

**Answer: A,D**

**Question No : 21**

Which netdestination aliases are built into the controller? (Choose three)

- A. logon
- B. any
- C. user
- D. guest
- E. localip



**Answer: B,C,E**

**Question No : 22**

What are aliases used for?

- A. Improve controller performance
- B. Simplify the configuration process
- C. Tie IP addresses to ports
- D. Assign rules to policies
- E. Assign policies to roles

**Answer: B**

**Question No : 23**

Which of the following firewall rules allows a user to initiate an ICMP session to other devices? (Choose two)

- A. localip any svc-icmp permit
- B. user any svc-icmp permit
- C. user user svc-icmp permit
- D. any any svc-icmp permit
- E. mswitch any svc-icmp permit

**Answer: B,D**

**Question No : 24**

The Aruba Policy Enforcement Firewall (PEF-NG) module supports destination network address translation (dst-nat).

Which is the default use of this statement in an Aruba controller configuration?

- A. Source the IP addresses of users to specific IP address
- B. Redirect HTTP sessions to Captive Portal

- C. Redirect Access Points to another Aruba controller
- D. Provide a telnet connection to the controller
- E. Redirect a SSH session to terminate on the controller

**Answer: B**

**Question No : 25**

The Aruba Policy Enforcement Firewall (PEF) module supports source network address translation (src-nat).

Which is a use of this statement in an Aruba configuration?

- A. Provide a single source IP address for users in a role
- B. Redirect Captive Portal HTTP sessions
- C. Redirect Access Points to another Aruba controller
- D. Provide IP addresses to clients
- E. Redirects clients to Aruba Firewall

**Answer: A**

**Question No : 26**

The network administrator wishes to terminate the VPN encryption on the Aruba controller.

When writing a firewall rule to accomplish the task of automatically moving the VPN traffic for the wireless clients from a third party VPN concentrator to an Aruba controller, which action needs to be configured in the rule?

- A. redirect to IPSec Group
- B. source NAT
- C. destination NAT
- D. redirect to tunnel
- E. redirect to GRE

**Answer: C**