

IBM

Exam C2020-703

IBM Cognos TM1 10.1 Administrator

Version: 6.0

[Total Questions: 57]

Question No : 1

You want to deploy a new application using dimension calculations in Performance Modeler. The application will be deployed in distributed mode.

Which two configuration parameters should be applied? (Choose two.)

- A. PersistentFeeders=T
- B. AllowSeparateNandCRules=T
- C. DistributedPlanningOutputDir=. \tunit
- D. LoggingDirectory=. . \log

Answer: B,C

Question No : 2

Support has requested that the customer increase the logging in their tm1s-log.properties file.

Where is this file found?

- A. In the same directory as the tm1 install
- B. In the same directory as the web.config file
- C. In the same directory as the tm1s.cfg file
- D. In the same directory as the tm1p.ini file

Answer: C

Question No : 3

Which two TM1 Objects are potential data sources for a TurboIntegrator process? (Choose two.)

- A. Rule File
- B. Dimension Subset
- C. Cube View
- D. Application Folder

Answer: B,C

Question No : 4

Your organization has security restrictions that prohibits the installation of software on end-user workstations.

Which two TM1 user interfaces would be acceptable? (Choose two.)

- A. Cognos Insight
- B. TM1 Web
- C. TM1 Performance Modeler
- D. TM1 Application Web

Answer: B,D

Question No : 5

Which statement about Data Reservations in TM1 is true?

- A. Granting a Data Reservation always permits users to write to the cube data, regardless of their security rights.
- B. If the REQUIRED Data Reservation mode is set for a cube, users must take a Data Reservation to write data to the cube.
- C. A user can secure a Data Reservation from the Security menu for the cube in Server Explorer.
- D. Data Reservations are granted to groups and applies to all users in that group.

Answer: B

Question No : 6

In TurboIntegrator, what is used to pull data from a relational database (e.g., Oracle)?

- A. Text
- B. ODBC

- C. ODBO
- D. IBM Cognos TM1 View

Answer: B

Question No : 7

What are three features of the TM1 OperationsConsole? (Choose three.)

- A. Adding new groups
- B. Monitoring multiple TM1 servers
- C. Scheduled logging to monitor activity offline
- D. Instant feedback on the current state of servers
- E. Saving data to disks

Answer: B,C,D

Question No : 8

You want to load data into a TM1 cube.

Which three data sources would you use? (Choose three.)

- A. Comma-delimited files
- B. ODBO connector
- C. JDBC connector
- D. JSON connector
- E. TM1 Cube Views

Answer: A,B,E

Question No : 9

A customer will be using TM1 Applications and wants to integrate with their current BI server for authentication.

Which security mode setting should they set in their tm1s.cfg file for the

IntegratedSecurityMode parameter?

- A. 5
- B. 4
- C. 3
- D. 2

Answer: A

Question No : 10

You run a T1 process that imports data into a TM1 cube from a .csv file. The process completes with a message "Process completed successfully", however when you check the Target Cube, the cube shows all zeros.

Which log file would you review?

- A. tm1s.log
- B. tm1server.log
- C. tm1web.log
- D. tm1-log.properties

Answer: A

Question No : 11

Managers of a company should only be able to see payroll data for their region within the region dimension in the payroll cube and only for the people that they manage in the employee dimension. However, in the forecast cube, they see data for all regions.

Which type of security should be set on the payroll cube?

- A. Cube level security
- B. Dimension level security
- C. Element level security
- D. Cell level security

Answer: D