

# IBM

## Exam C2150-563

### IBM Tivoli Directory Integrator V7.1

Version: 6.0

[ Total Questions: 119 ]

**Question No : 1**

Which three platforms support IBM Tivoli Directory Integrator V7.1? (Choose three.)

- A. AIX
- B. HP/UX
- C. Android
- D. OS/400
- E. System z
- F. Mac OS X

**Answer: A,B,E**

**Question No : 2**

Which three IBM Tivoli Directory Integrator V7.1 components can be used in an AssemblyLine? (Choose three.)

- A. Script
- B. Compiler
- C. Connector
- D. Protocol Bridge
- E. LexicalAnalyzer
- F. Function Component

**Answer: A,C,F**

**Question No : 3**

Which two statements are true for the IBM Tivoli Directory Integrator V7.1 Entry Object? (Choose two.)

- A. It analyzes and correlates events.
- B. It can represent a single database row.
- C. It acts as a client to a connected system.
- D. It can be manipulated directly from Hook scripts.
- E. It is used to encode a byte stream during read and write operations.

**Answer: B,D**

**Question No : 4**

Which two IBM Tivoli Directory Integrator V7.1 components are used to control AssemblyLine flow? (Choose two.)

- A. Else Branch
- B. Attribute Map
- C. Fail-over Node
- D. Connector Loop
- E. Aggregator Loop

**Answer: A,D**

**Question No : 5**

Which statement is true for the Action Manager?

- A. It updates the Work Entry.
- B. It can send an Initial Work Entry to an AssemblyLine.
- C. It is a command line utility used for importing certificates.
- D. It executes rules that are configured using the Administration and Monitoring Console.

**Answer: D**

**Question No : 6**

AssemblyLines can be monitored using which two methods? (Choose two.)

- A. System Store
- B. Changelog Connectors
- C. Server mode Connectors
- D. command line utility tdisrvctl
- E. Administration and Monitoring Console

**Answer: D,E**

**Question No : 7**

What is the unit of work in IBM Tivoli Directory Integrator V7.1?

- A. Project
- B. Connector
- C. System Store
- D. AssemblyLine

**Answer: D**

**Question No : 8**

What is a valid component in an AssemblyLine?

- A. Script
- B. Method
- C. Procedure
- D. Subroutine

**Answer: A**

**Question No : 9**

What are two different ways to start an AssemblyLine (AL) with parameters from another AL? (Choose two.)

- A. AssemblyLine Parser
- B. AssemblyLine Launcher
- C. AssemblyLine Connector
- D. AssemblyLine Loop Component
- E. AssemblyLine Function Component

**Answer: C,E**

**Question No : 10**

Which two statements are true about an AssemblyLine (AL)? (Choose two.)

- A. An AL with an empty Feed section can do work.
- B. An AL must have at least one component in the Flow section.
- C. All ALs run in sequence, each one starting when the previous one shutdowns.
- D. The Recycle Execution mode ensures that an AL is re-launched if it terminates.
- E. The Feed section acts like a loop and cycles the Flow section components once for each available entry.

**Answer: A,E**

**Question No : 11**

Which two statements are true about one AssemblyLine (AL1) starting another AssemblyLine (AL2) in IBM Tivoli Directory

Integrator V7.1 (TDI)? (Choose two.)

- A. Both ALs can run at the same time.
- B. Both ALs must be part of the same TDI Project.
- C. Both ALs must be running on the same TDI Server.
- D. The Task Call Block is used to pass in parameters and data.
- E. If AL2 is started using script calls then it runs at a higher priority.

**Answer: A,D**

**Question No : 12**

Which two statements are true regarding a Task Call Block (TCB)? (Choose two.)

- A. It is used for deleting an entry in Delete mode.
- B. It is used by a caller to set a number of parameters for an AssemblyLine (AL).
- C. It contains information about AL exceptions and error codes.
- D. It is a Search (criteria) object used by ALs and Connectors to specify a generic search criteria.
- E. It can provide a list of input or output parameters specified by an AL, including operation codes defined in the Operations tab of the AL.

**Answer: B,E**

**Question No : 13**

Which two options are available in AssemblyLine (AL) settings? (Choose two.)

- A. view AL statistics
- B. select the Property Store to use
- C. configure Null Behavior at the AL level
- D. define default error handling for the AL
- E. set the AL pool size when Server mode is in use

**Answer: C,E**

**Question No : 14**

What is an Initial Work Entry?

- A. It logs information about an initial error code.
- B. It is an entry passed to an AssemblyLine when it is started.
- C. It is the first entry retrieved from the Connector in Iterator mode.
- D. It is used during initialization of the Administration and Monitoring Console.

**Answer: B**

**Question No : 15**

A company's business requirements state that real-time changes must be synchronized from an IBM LDAP directory to an RDBMS database. Which Connector is required to feed data in to the AssemblyLine?

- A. JNDI Connector
- B. FileSystem Connector
- C. LDAP Server Connector
- D. IBM Tivoli Directory Server Change Log Connector

**Answer: D**

**Question No : 16**

Which connector type must be used to access an LDAP LDIF file?

- A. JNDIConnector
- B. LDIF Connector
- C. LDAP Connector
- D. File System Connector

**Answer: D**

**Question No : 17**

Which Connector mode can be used in the AssemblyLine Feed section?

- A. Delta
- B. Iterator
- C. Updat
- D. AddOnly

**Answer: B**

**Question No : 18**

Where does the DeltaEngine store the snapshots it takes of data being iterated?

- A. Work Entry
- B. Conn Object
- C. System Store
- D. System Queue

**Answer: C**

**Question No : 19**

Which statement is true for Server mode?

- A. It is similar to the Delta mode.
- B. It can be used in theFlow Section of the AssemblyLine.

- C. It is used to play back a recorded AssemblyLine execution.
- D. It binds to some resource (like an IP port), accepts client connections, processes incoming data, and returns a response to the client.

**Answer: D**

**Explanation:**

QUESTIONNO: 20

What are two uses for a Server mode Connector? (Choose two.)

- A. to implement a web service
- B. to intercept LDAP bind requests
- C. to run AssemblyLines in Simulation mode
- D. to run multiple AssemblyLines simultaneously
- E. to enable First Failure Data Capture in AssemblyLines

Answer: A, B

**Question No : 20**

Which statement is true for the CallReply mode?

- A. It is available for all Connectors.
- B. It can only be used in Feed section Connectors.
- C. It gives access to both Input and Output Attribute Maps.
- D. It is designed to wait for an incoming event, dispatch a thread dealing with the event, and send a reply back to the originator.

**Answer: C**

**Question No : 21**

What are two supported modes for the HTTP Server Connector? (Choose two.)

- A. Delta mode
- B. Servermode
- C. Iterator mode
- D. AddOnly mode