IBM

Exam C2170-010

IBM Cúram V6.0.4, Application Development

Version: 5.1

[Total Questions: 55]

Question No : 1

What are three effects of running a build clean server command? [Select 3]

A. All database tables are dropped and rebuilt
B. All generated artifacts are deleted
C. All code table files are recompiled
D. All application navigation files are checked and loaded
E. All client pages that have changed since the last build are regenerated
F. All generated and handcrafted code is compiled

Answer: B,C,F

Question No : 2

Which two of the following statements about Façade and Process classes are true? [Select 2]

A. Façade classes may only have public methods, whereas Process classes can also have protected methods
B. Façade classes have methods that can be invoked by the client application, whereas Process classes do not
C. A Process class can be configured as visible to the client application if the SetClientVisible property is set to true
D. The same operation stereotypes can be used in Façade and Process classes
E. Façade classes form part of the Service Layer

Answer: B,D

Question No : 3

If a model contains a process class MyProcess, which two of the following class signatures are correct? [Select 2]

A. curam.impl.MyProcess implements curam.intf.MyProcess
B. curam.impl.MyProcess implements curam.base.MyProcess
C. curam.impl.MyProcess extends curam.base.MyProcess
D. curam.base.MyProcess extends curam.intf.MyProcess
E. curam.base.MyProcess implements curam.intf.MyProcess

Answer: C,E

Question No : 4

Which of the following is a complete description of the process involved in creating a valid index in Cúram?

A. Create a new Index class containing the index attributes and add a named association between this class and the target Entity class
B. Create a new Struct class containing the index attributes and add a named association with stereotype index between it and the target entity class
C. Create a new Entity class with an attribute of stereotype index and add an association with stereotype index between it and the target Entity class
D. Create a new Association class with an attribute of stereotype index and add an association between it and the target Entity class

Answer: B

Question No : 5

Which three of the following entity stereotypes require the user to specify input parameters when modeling? [Select 3]

A. nkread
B. nkmodify
C. nkreadmulti
D. nsinsert
E. nsremove
F. readmulti

Answer: D,E,F

Question No : 6

Which two of the following are valid options for model-specified validations? [Select 2]

A. Maximum_Value

3

B. Maximum_Chars

C. Minimum_Size

D. Starts_With

E. Ends_With

Answer: A,C

Question No : 7

Which two of the following statements about the CONNECT element are true? [Select 2]

A. When used inside a LIST, a CONNECT element can have a TARGET element as a child element

B. When used inside a FIELD, a CONNECT element must have at least one SOURCE, TARGET, or INITIAL as a child element

C. The CONNECT element can be used to indicate which SERVER_INTERFACE is related to which ACTION_CONTROL

D. The CONNECT element can have multiple TARGET elements

E. The CONNECT element is a valid child of the PAGE element

Answer: B,E

Question No : 8

From the DefaultAppSection.sec file presented here, which of the following statements is valid?

```xml
<?xml version="1.0" encoding="ISO-8859-1"?>
<sc:section
    xmlns:sc="http://www.curamsoftware.com/curam/util/client/section-config"
    id="DefaultAppSection" title="DefaultAppSection.title">

    <sc:tab id="AccountHome" >
        <sc:shortcut-panel-ref id="AccountSectionShortcuts" />
    </sc:tab>

    <sc:tab id="OrganizationHome" />

    <sc:tab id="AccountHome" />

    <sc:shortcut-panel-ref id="DefaultSectionShortcuts" />

</sc:section>
```

A. When this section is rendered in the browser, the AccountSectionShortcuts panel will be rendered if the user visits the AccountHome tab

B. Configuring two distinct Tab elements, both referencing AccountHome, allows Cúram to display two different account details in separate tabs at the same time

C. This configuration will be loaded to the database without error, but an error will occur at runtime

D. At build time an error will occur preventing the configuration from being loaded

Answer: D

Question No : 9

Examine the piece of code shown:

```
<SERVER_INTERFACE OPERATION="insertItem" CLASS="MaintainItem"
    NAME="insert_SI" PHASE="ACTION" />
<SERVER_INTERFACE OPERATION="getItems" CLASS="MaintainItem"
    NAME="getItems_SI" PHASE="DISPLAY" />

<CLUSTER TITLE="Cluster.Title">
    ...
    <FIELD>
        <CONNECT>
            <INITIAL PROPERTY="first" NAME="getItems_SI"
                HIDDEN_PROPERTY="second" />
        </CONNECT>
        <CONNECT>
            <TARGET PROPERTY="third" NAME="insert_SI" />
        </CONNECT>
    </FIELD>
    ...
</CLUSTER>
```

Which two of the following statements about this piece of code are true? [Select 2]

A. The INITIAL element must be defined within a CONNECT element inside a FIELD element

B. The HIDDEN_PROPERTY should have the same name as the TARGET PROPERTY

C. A drop-down list containing the values for first and second is displayed

D. A SOURCE element could also be added in the same field that contains the INITIAL element

E. The PROPERTY third must be defined as a list

Answer: A,D

Question No : 10

If CLIENT_COMPONENT_ORDER= NYC, appeals, custom, service plans, which of the following statements is true?

A. All code in the core folder is ignored, as it is not on the client_component_order path
B. If screen.UIM exists in appeals and service plans, the one from service plans will be generated
C. If screen.UIM exists in NYC and appeals, the one from NYC will be generated
D. This has no effect on generated screens

Answer: C

Question No : 11

In which of the following files would a developer define the database name for his/her Cúram application?

A. datamanager_config.xml
B. Application.prx
C. Bootstrap.properties
D. ApplicationConfiguration.properties

Answer: C

Question No : 12

For which two of the following customizations is it compliant to subclass an entity? [Select 2]

A. Add a new attribute
B. Override an attribute
C. Override a database operation
D. Override a non-database (<<blank>>) operation
E. Enable an exit point for an operation