

IBM

Exam C9560-655

IBM Tivoli Composite Application Manager for Transactions V7.3 Implementation

Version: 6.0

[Total Questions: 70]

Question No : 1

Which three parameters are required when configuring the Application Management Console?

- A. IBM Rational Performance Tester hostname or IP address
- B. Tivoli Enterprise Management Server (TEMS) port number
- C. IBM Rational Functional Tester hostname or IP address
- D. TEMS hostname or IP address
- E. depot hostname or IP address
- F. primary TEMS connection

Answer: D,E,F

Question No : 2

Using the tacmd CLI, what does this command create:

```
tacmd createEventDest -i 123 -p hostl=bigTEC3server:4567 name=myTEC?
```

- A. a new object group called bigTECserver wrth a destination name of myTEC
- B. a new service group object called bigTECserver with a host name of bigTECServer
- C. a new event destination definition on the server bigTECserver with the Server Destination ID of 123
- D. a new situation named myTEC for the server bigTECserver using port 4567 with a Server Destination ID of 123

Answer: C

Question No : 3

Specific domain tracking technologies and IDs are used to track transactions within and between applications and domains. Which information is provided by stitching IDs?

- A. tracking points in an interaction that spans multiple domains
- B. tracking points in an interaction that occurs within a single domain
- C. the common identifier to all tracking points in a transaction instance
- D. whether a relationship exists between tracking points in a transaction instance

Answer: A

Question No : 4

Where in a Windows system can the K8B_RAS1 parameter be found and edited to increase the log levels of the Client Response Time agent?

- A. <CANDLE_HOME>\config\kt4env
- B. <CANDLE_HOME>\tmaitm6\kt4env
- C. <CANDLE_HOME>\config\<hostname>_t4.cfg
- D. <CANDLE_HOME>\tmaitm6\<hostname>J4.cfg

Answer: B

Question No : 5

What is meant by a Realm in Application Management Configuration Editor terminology?

- A. a set of filters that match monitored requests
- B. the security credentials for IBM Rational Performance Tester robotic scripts
- C. an IBM Tivoli Monitoring security access control list of users who have access to read or modify a profile, application, or client
- D. a combination of a specific IP address (such as 9.48.152.128) or IP address pattern (such as 9.48.152.*) and port number to monitor for TCP traffic

Answer: B

Question No : 6

Which types of Application Support can be installed on the Tivoli Enterprise Portal (TEP) Server running on a Linux operating system?

- A. TEP Browser Client application support. TEP Desktop Client application support. TEP Server application support
- B. TEP Browser Client application support, TEP Desktop Client application support. TEP Java Web Start application support
- C. Tivoli Enterprise Management Sever (TEMS) application support. TEP Desktop Client

application support. TEP Java Web Start application support

D. TEP 8rowser Client application support, TEP Desktop Client application support, TEMS application support

Answer: C

Question No : 7

See the Exhibit below.

Aggregation Periods			
Start Timestamp	End Timestamp	Number of records	Number of excluded records
11/02/12 04:30:00	11/02/12 04:35:00	204	0
11/02/12 04:35:00	11/02/12 04:40:00	208	0
11/02/12 04:40:00	11/02/12 04:45:00	181	0
11/02/12 04:45:00	11/02/12 04:50:00	70	0
11/02/12 04:50:00	11/02/12 04:55:00	68	0
11/02/12 04:55:00	11/02/12 05:00:00	43	0

What can be determined (torn this view)?

- A.** The rate of transactions coming into this Transaction Reporter are increasing.
- B.** The rate of transactions coming into this Transaction Collector are increasing.
- C.** The rate of transactions coming into this Transaction Reporter are decreasing.
- D.** The rate of transactions coming into this Transaction Collector are decreasing.

Answer: A

Question No : 8

How should recorded Robot VU scripts be migrated to the newly installed IBM Rational Performance Tester (RPT)?

- A.** runIheMtgrateVU2RPT application
- B.** from the Tivoli Enterprise Portal Server RPT Workspace view
- C.** previously recorded Rational Robot VU scripts cannot be migrated
- D.** use the IBM Tivoli Composite Application Manager for Transactions RPT Workbench plug-in

Answer: B

Question No : 9

Under UNIX and Linux, when must a 64-bit version of T1 {File Transfer Enablement) be installed on the Tivoli Enterprise Monitoring Server (TEMS)?

- A. when the TEMS is a 64-bit instance
- B. when the operating system platform is 64-bit
- C. when the Application Management Console is 64-bit
- D. when the Tivoli Enterprise Portal Server database resides on a 64-bit server

Answer: C

Question No : 10

What is the purpose of the tu_list parameter in the Transaction Reporter configuration?

- A. It specifies the Transaction Collectors that the Transaction Reporter ignores.
- B. It specifies the Transaction Collectors from which the Transaction Reporter collects topology data.
- C. It specifies the Transaction Collectors from which the Transaction Reporter collects aggregate data.
- D. It specifies the Transaction Collectors from which the Transaction Reporter collects aggregate and instance data.

Answer: B

Question No : 11

What are two required steps to configure and enable .NET tracking on Windows 2008?

- A. run kinconf ig
- B. activate the configuration
- C. register the .NET Data Collector
- D. enable the monitoring of ADO.NET interfaces
- E. configure the connection to the Transaction Collector