

# **Exam Express**

## **Exam EE0-011**

atg certified relationship management developer

Version: 5.0

[Total Questions: 87]



### Topic break down

Topic	No. of Questions
Topic 0: A	87



#### Topic 0, A

Α

#### Question No : 1 - (Topic 0)

Which droplet renders a subset of the elements in an array?

- A. Range
- B. Subset
- C. For Each
- D. For Each Range

**Answer: A** 

#### Question No : 2 - (Topic 0)

You want to remove middleName from the user item descriptor in the Profile Repository and add a boolean over18 property. What should you do in your custom userProfile.xml file?

- **A.** create a user item-descriptor tag with xml-combine="replace" create a middleName property tag with xml-combine="remove" create an over18 property tag with xml-combine="append"
- **B.** create a user item-descriptor tag with xml-combine="append" create a middleName property tag with xml-combine="remove" create an over18 property tag with xml-combine="replace"
- **C.** create a user item-descriptor tag with no xml-combine declaration create a middleName property tag with xml-combine="remove" create an over18 property tag with xml-combine="append"
- **D.** create a user item-descriptor tag with no xml-combine declaration create a middleName property tag with xml-combine="replace" create an over18 property tag with xml-combine="append"

**Answer: C** 

#### Question No: 3 - (Topic 0)

Which two are required to use Dynamo's targeted email functionality to send a mass mailing with each message containing a different set of targeted content specific for each user? (Choose two.)



- A. a scenario
- **B.** a repository
- C. a page template
- D. a schedulable component

Answer: B,C

#### Question No: 4 - (Topic 0)

Which two statements are true if a repository item type T has a property P that has the cascade="update" attribute set? (Choose two.)

- A. Property P can be defined as either a repository item or a Collection of repository items.
- **B.** The cascade="update" attribute is applied recursively to any properties in the items referenced by property P.
- **C.** Anytime that a repository item of type T is updated, all corresponding items referenced by property P are updated.
- **D.** Anytime that a repository item of type T is added to the repository, the corresponding items referenced by property P are also added to the repository.

Answer: A,D

#### Question No: 5 - (Topic 0)

What is the primary purpose of the Java Message Service (JMS)?

- **A.** to provide a uniform method for sending email
- B. to allow asynchronous, decoupled communications
- C. to use a database to queue messages regardless of type
- **D.** to create a publish-subscribe model for synchronous messages

**Answer: B** 

Question No : 6 - (Topic 0)

Click the Exhibit button.

Given the CONFIGPATH and properties files:



CONFIGPATH: <atg-dir>\Dynamo\MyProjectv1\config; <atg-dir>\Dynamo\MyProjectv2\config; <atg-home>\localconfig

What will be the final configured values of the name and age properties?

```
<atg-dir>\Dynamo\MyProjectv1\config\Person.properties:
name=Joe
age=32

<atg-dir>\Dynamo\MyProjectv2\config\Person.properties:
name=Mary
age=34

<atg-home>\localconfig\Person.properties:
name=Joe
```

- A. name=Joe, age=32
- B. name=Joe, age=34
- C. name=Mary, age=34
- D. name=Joe, age=null

**Answer: B** 

#### Question No: 7 - (Topic 0)

What is the easiest way to implement a Schedule if a scheduled service is required to run twice each Monday?

- A. PeriodicSchedule
- B. RelativeSchedule
- C. CalendarSchedule
- D. RecurrentSchedule

**Answer: C** 

#### Question No:8 - (Topic 0)

What are two advantages of using Item Descriptor Inheritance over independent item descriptors in a repository definition? (Choose two.)



- **A.** Duplicate data across different tables can be avoided.
- **B.** The number of database tables is reduced, simplifying queries.
- **C.** Item descriptors can inherit properties from multiple parent sources.
- **D.** Queries for items with common attributes can be created more easily.

Answer: A,D

#### Question No: 9 - (Topic 0)

Which method of the ProfileFormHandler should you override to implement code that updates a custom statistics data store whenever a new user successfully registers?

- A. createUser()
- B. handleCreate()
- C. postCreateUser()
- D. createUserSuccess()

**Answer: C** 

#### Question No: 10 - (Topic 0)

Which two features describe an SQL repository? (Choose two.)

- **A.** An XML file maps database structures to objects.
- **B.** All SQL queries must be specified in the configuration.
- **C.** SQL Repositories that store files should not exceed 1,000 files.
- **D.** Transient properties can be defined that are not stored in a database.

Answer: A,D

#### Question No : 11 - (Topic 0)

What is a characteristic of a transient Repository Item property?

- **A.** It holds repository meta-data.
- **B.** It is not stored in the database.
- **C.** It is not cached in the repository.
- **D.** It is stored in an auxiliary database table.



**Answer: B** 

#### Question No: 12 - (Topic 0)

Given the following code fragment:

```
import atg.repository.*;
...
public void MyMethod(RepositoryItem item) {
    String name = (String) item.getPropertyValue("name");
```

Which two statements are true? (Choose two.)

- **A.** item is an instance of the RepositoryItem class.
- **B.** item is an implementation of the RepositoryItem interface.
- **C.** The item's ID is obtained by invoking item.getRepositoryId().
- **D.** The name property of the item is changed to "Robert" by invoking item.setPropertyValue("name", "Robert").

Answer: B,C

#### Question No: 13 - (Topic 0)

Which two statements are true if a content repository stores meta-data in an SQL database and content in a filesystem? (Choose two.)

- **A.** Two XML files describe the repository.
- **B.** File content is represented by a user-defined property.
- **C.** The repository can have only one content item descriptor.
- **D.** Targeting rules can be based only on the information in the SQL database.

Answer: B,D

#### Question No: 14 - (Topic 0)

Which interface should you use to retrieve a repository item for update when you have a