

HP HP0-081

H P HP0-081 OpenVMS System Administration
Practice Test
Version 1.1

QUESTION NO: 1

Which command would you use to determine if a device is spooled?

- A. SHOW SPOOL
- B. DISPLAY SPOOL
- C. SHOW PORT
- D. SHOW DEVICE

Answer: D

QUESTION NO: 2

Prior to performing an OpenVMS upgrade, how can you preserve workload information that can be used for system tuning? Select TWO.

- A. MCR SYSGEN SAVE FEEDBACK
- B. @SYS\$UPDATE:AUTOGEN SAVPARAMS
- C. @SYS\$SYSTEM:SAVE_FEEDBACK
- D. MCR SYSMAN PARAMETERS SAVE
- E. @SYS\$SYSTEM:SHUTDOWN using the SAVE_FEEDBACK option
- F. MONITOR SYSTEM /RECORD=FEEDBACK

Answer: B,E

QUESTION NO: 3

Which command deletes a logical name TROLL from the GROUP logical name table?

- A. DEASSIGN/GROUP TROLL
- B. DELETE/TABLE=GROUP TROLL
- C. DEASSIGN/TABLE=GROUP TROLL
- D. DELETE/LOGICAL TROLL

Answer: A

QUESTION NO: 4

What are the characteristics of a DYNAMIC or a RESOURCE Identifier? Select TWO.

- A. RESOURCE IDENTIFIER can be UIC based
- B. RESOURCE IDENTIFIER can own objects

- C. DYNAMIC IDENTIFIER can be revoked from DCL
- D. DYNAMIC IDENTIFIER can own objects

Answer: B,C

QUESTION NO: 5

Which AUTHORIZE flag disables a user account and prevents login?

- A. RESTRICTED
- B. DISUSER
- C. DISACC
- D. DISWELCOME

Answer: B

QUESTION NO: 6

Which situation can cause a stalled queue?

- A. device does not exist
- B. queue was stopped with an abort
- C. printer is offline
- D. symbiont is busy

Answer: C

QUESTION NO: 7

The System Manager issues ANALYZE /DISK_STRUCTURE and receives the message: %ANALDISK-W-LOSTHEADER, file (11185,234) TEST.DAT; not found in directory. What does LOSTHEADER in the error message mean?

- A. The user is not privileged to read TEST.DAT.
- B. The header is not found in INDEXF.SYS.
- C. The header is not recoverable and is lost.
- D. The file does not have a valid directorybacklink.

Answer: D

QUESTION NO: 8

A user deleted the contents of a directory on \$1\$DGA7 in error. Which command will restore the directory from the backup on MKA100:?

- A. BACKUP /REWIND/IMAGE MKA100: /SELECT=[DOUG...] \$1\$DGA7:[DOUG...]
- B. COPY MKA100:[DOUG...] \$1\$DGA7:[DOUG...]
- C. BACKUP /REWIND MKA100: /SELECT=[DOUG...] \$1\$DGA7:[DOUG...]
- D. RESTORE /REWIND MKA100: /SELECT=[DOUG...] \$1\$DGA7:[DOUG...]

Answer: C

QUESTION NO: 9

What is the lexical function F\$MESSAGE used for?

- A. to determine the number of new mail messages for the current user
- B. to send a message to the system operator
- C. to return the message text associated with a specified system status code value
- D. to retrieve a message sent by the system operator to the current user

Answer: C

QUESTION NO: 10

What is the default location of the queue database?

- A. SYS\$MANAGER
- B. SYS\$SYSTEM
- C. SYS\$PRINT
- D. SYS\$QUEUE

Answer: B

QUESTION NO: 11

Which command boots a node from the network?

- A. BOOT EWA0
- B. BOOT -FLAGS 0,1 DGA100
- C. BOOT/DEV= EWA0 DGA100
- D. BOOT DGA100

Answer: A

QUESTION NO: 12

What is the correct BACKUP command to save the dumpfile data to tape?

- A. BACKUP/IGNORE=NOBACKUP <source> <destination>
- B. BACKUP <source> <destination>
- C. BACKUP/IGNORE=INTERLOCK <source> <destination>
- D. BACKUP/INCLUDE=<dumpfile> <source> <destination>

Answer: A

QUESTION NO: 13 DRAG DROP

Click the Task button. Using drag and drop, match each object with its appropriate use.

Uses		Objects
place here	DCL variables	Foreign commands
place here	Symbols used to invoke images	Local symbols
place here	Refer to files or devices	Lexical functions
place here	Manipulate strings and return information	Logical names

Answer:

Uses		Objects
Local symbols	DCL variables	Foreign commands
Foreign commands	Symbols used to invoke images	Local symbols
Logical names	Refer to files or devices	Lexical functions
Lexical functions	Manipulate strings and return information	Logical names

QUESTION NO: 14

Which default files are used as the queue manager database? Select THREE.

- A. QMAN\$MASTER.DAT
- B. QMAN\$MASTER.BIN
- C. SYS\$QUEUE_MANAGER.QMAN\$QUEUES
- D. SYS\$QUEUE_MANAGER.QMAN\$JOURNAL
- E. SYS\$QUEUE_MANAGER.QMAN\$FORMS

Answer: A,C,D

QUESTION NO: 15

Which statement is true regarding the AUTOGEN procedure?

- A. It adjusts user quotas in the authorization file.
- B. It runs automatically every day to gather performance statistics.
- C. It sets appropriate values for system parameters.
- D. It automatically tunes the system for optimum performance.

Answer: C

QUESTION NO: 16

A customer needs to share large amounts of data among eight OpenVMS systems. To minimize operating costs, these systems are treated as a single system management domain. Which technology will provide these benefits?

- A. NFS mounts
- B. XFC cache
- C. Host-based mini-merge
- D. OpenVMS clustering
- E. Memory Channel networking

Answer: D

QUESTION NO: 17

What is the lexical function used to return accounting, status, and identification information for a process?

- A. F\$GETJOB

- B. F\$PROCESS
- C. F\$GETJPI
- D. F\$USER

Answer: C

QUESTION NO: 18

Which process quota is nondeductible between a parent and its subprocesses?

- A. JTQUOTA
- B. MAXJOBS
- C. WSQUOTA
- D. ENQLM

Answer: C

QUESTION NO: 19

When physical memory consumption reaches a certain level, what will the system do? Select THREE.

- A. recover pages from the pagefile
- B. swap processes out of memory
- C. recover pages from process working sets
- D. stop dormant processes
- E. allocate pages from paged pool
- F. flush the modified page list

Answer: B,C,F

QUESTION NO: 20

The SHOW SYSTEM command displays many processes in the COM state. What could be the explanation?

- A. A CPU intensive process at a high priority is executing.
- B. A well-balanced CPU is in use in a cluster environment.
- C. The processes are executing tasks for other processes.
- D. This process class is currently executing.

Answer: A

QUESTION NO: 21

A system manager wants to initialize a previously used disk for general usage. Which command yields the most secure result?

- A. \$ INITIALIZE/SECURE \$1\$DGA100: SYSDISK
- B. \$ SET VOLUME/INITIALIZE=HIGHWATER \$1\$DGA100: SYSDISK
- C. \$ INITIALIZE/ERASE/HIGHWATER \$1\$DGA100: SYSDISK
- D. \$ INITIALIZE/FILE_PROTECTION \$1\$DGA100: SYSDISK
- E. \$ INITIALIZE/ERASE=DES \$1\$DGA100: SYSDISK

Answer: C

QUESTION NO: 22

Which system parameter makes a SCSI-attached tape drive accessible to all cluster members?

- A. MSCP_SERVE_ALL
- B. ALLOCLASS
- C. TMSCP_SERVE_ALL
- D. TAPE_ALLOCLASS

Answer: C

QUESTION NO: 23

Which function does the JOB_CONTROL process perform?

- A. creates interactive, batch, and symbiont processes
- B. replies to user requests for tape mounts
- C. copies the contents of error buffers to errorlog files
- D. create the LNM\$JOB logical name table

Answer: A

QUESTION NO: 24

Which reason may explain why the following command failed? JRB> EDIT/TPU BRUCE.DAT %DCL-W-IVQUAL, unrecognized qualifier - check validity, spelling, and placement \TPU\

- A. The logical CALLABLE_TPU is not defined correctly.
- B. TPU is not installed on the system.
- C. The qualifier TPU should follow the file name.
- D. A symbol EDIT exists that interferes with the command.

Answer: D

QUESTION NO: 25

You need to create a system dump for analysis. Which action do you perform on an Itanium system?

- A. Access the server and press the halt button.
- B. At the console, press CTRL-P and type crash.
- C. At the console, press CTRL-P and answer yes.
- D. At the Shell> prompt, type @crash.

Answer: C

QUESTION NO: 26

What is the most effective method of data recovery?

- A. mirroring
- B. shelving
- C. backup
- D. volume shadowing

Answer: C

QUESTION NO: 27

What is the correct procedure for removing a page file?

- A. Rename the file, reboot the system, and then delete the file.
- B. Stop all non-system processes, then delete the file.
- C. Use the command REMOVE /PAGE_FILE=name_of_file.
- D. Delete the file, then reboot the system.

Answer: A