

HP

Exam HP0-M57

HP Project and Portfolio Management Center 9.x Software

Version: 7.1

[Total Questions: 71]

Question No : 1

During the proposal phase, which information is contained in a staffing profile?

- A. a list of names and projected utilizations for the given project
- B. a listing of all over-allocated or over-utilized resources within the company
- C. a list of positions and expected time requirements per position to complete the project
- D. a breakdown in FTE of all named resources assigned to this project

Answer: B

Question No : 2

A portlet data column can be configured as which four types?

- A. text, currency, number, and summary condition/exception
- B. varchar, text, array, and number
- C. summary condition/exception, float, hexadecimal, and currency
- D. currency, array, float, and hexadecimal

Answer: C

Question No : 3

How are validations used? (Select two.)

- A. to determine the possible results that a workflow step can return
- B. to populate the static list with dynamic values
- C. to format the input value of fields, using custom pre-configured rules
- D. to determine the acceptable input values for user-defined fields
- E. to check the syntax validity of the SQL queries that are used to retrieve values for custom dashboard portlets

Answer: B,E

Question No : 4

How can you retrieve information about your PPM licenses?

- A. Check files in the /log/licenses folder.
- B. Open the file license.conf with a text editor.
- C. Run the script kLicenseReader.sh.
- D. Call the HP pre-sales support.

Answer: B

Question No : 5

What is a functionality of the Demand Management application in PPM?

- A. to deploy problem resolutions
- B. to create timesheets for employees
- C. to create new portfolio initiatives
- D. to manage projects

Answer: A

Question No : 6

What does a "List" portlet type display?

- A. Data in rows and columns
- B. Multidimensional aggregations over tabular data
- C. Percentages of a whole
- D. Data in either vertical or horizontal bars

Answer: C

Question No : 7

How can users update their own timesheets? (Select three.)

- A. by delegating other resources to their completion
- B. by adding notes or by releasing them

- C. by adding Work Packages to existing lines
- D. by adding/modifying timesheet lines
- E. by sending them out for pre-release approval
- F. by attaching reference entities

Answer: B,C,F

Question No : 8

Which command is used to remotely execute UNIX commands?

- A. ksc_store
- B. ksc_replace
- C. ksc_simple_respond
- D. ksc_exec

Answer: A

Question No : 9

How can you start the creation of a Package? (Select two.)

- A. from the Project Overview page
- B. by selecting the "Load time as Actual Work Package" on the Timesheet
- C. from the workbench
- D. by clicking the Create Work Package button on a Staffing Profile page
- E. by adding a new Reference to an existing Request

Answer: A,D

Question No : 10

Which PPM module provides visibility and control across all projects that are aligned by Business Objectives?

- A. Project Management
- B. Portfolio Management

- C. Program Management
- D. Demand Management

Answer: A

Question No : 11

Which statement is true about the Time Management module?

- A. It creates work allocation even if the work item does not exist.
- B. It uses timesheets to manage the time reporting and approval process efficiently.
- C. it allows the submission of partial timesheets.
- D. It restricts the configuration of a single timesheet policy through the organization.

Answer: D

Question No : 12

What are valid values for parameter AUTHENTICATION_MODE in server.conf?

- A. ITG, LDAP, NTLM, SITEMINDER
- B. ITG, Active Directory, LDAP
- C. ITG, PPM, LDAP
- D. ITG, LDAP, MS Exchange

Answer: C

Question No : 13

What can a PPM deployment be? (Select two.)

- A. a single-machine architecture with one web server and one application server
- B. a two-machine architecture with one web server and one application server
- C. a load-balancing architecture of two servers, each with a web server and an application server
- D. a load-balancing architecture of two servers, one with a web server and an application server and one with only an application server