

HP

Exam HP2-W100

**HP TippingPoint Next Generation Firewall Security Products
Professional**

Version: 6.2

[Total Questions: 42]

Question No : 1

In a Routed Deployment with NAT configuration, which entry must be configured to hide private network addresses?

- A. Destination NAT
- B. Source NAT
- C. Base NAT
- D. Target NAT

Answer: B

Explanation: Reference:<http://h10032.www1.hp.com/ctg/Manual/c03938031>(page 30,routed nat configuration)

Question No : 2

What must be entered to launch the OBE wizard for an HP TippingPoint SMS?

- A. SuperUser
- B. License number
- C. Root User
- D. Security Level

Answer: D

Reference:<http://h10032.www1.hp.com/ctg/Manual/c03964646>(See Configure the SMS Server point 4, Page #17).

Question No : 3

Which statement describes an advantage of dynamic routing?

- A. Dynamic routing provides DNS services along with IP connectivity, whereas static routing does not.
- B. Dynamic routing is typically more scalable when compared to static routing.
- C. Unlike static routing, dynamic routing provides redundant IP addresses for end-user devices.
- D. Unlike static routing, dynamic routing requires no initial user configuration

Answer: C

Question No : 4

Which group of filters is static?

- A. Games, Music, Video, RD
- B. Games, P2P, Remote Access, Tunneling
- C. Games, P2P Music, Flash
- D. Games, Music, Video, Tunneling

Answer: A

Question No : 5

Refer to the exhibit.

	<input type="checkbox"/>	ID	State	Source Zone	Action	Destination Zone	Services
1	<input type="checkbox"/>	Product...	Enabled	Internal Marketing	Permit + Notify	Perimeter Marketing	http ms-sql sip https smtp
	<input type="checkbox"/>	Default...	Enabled	any	Block	any	any

Which traffic is permitted to the Internal zone without any firewall rules configured?

- A. All HTTP traffic input to the Internal zone is permitted.
- B. Any IP traffic input to the Internal zone destined to any other interfaces is permitted.