

Network Appliance NS0-153

Network Appliance Storage Networking

Version: 4.0



Topic 1, Volume A

\sim	JES	-10				_
			181	NI/	١.	-

QUESTION NO: 4

If you change the setting for the option cifs.neg_buf_size, you need to terminate CIFS on the storage appliance and do a restart for the changes to take effect.

storage appliance and do a restart for the changes to take effect.
A. True B. False
Answer: A Explanation:
QUESTION NO: 2
If the client is a CIFS client, locks are
A. advisoryB. mandatoryC. orderedD. optional
Answer: B Explanation:
QUESTION NO: 3
To view per client NFS statistics on the storage appliance, options nfs.per_client_stats.enable must be turned on.
A. True B. False
Answer: A Explanation:

2



Which two commands can be used to enable space reservations for a LUN? (Choose 2.)

A. lun create
B. lun set reservation
C. fcp-r <lun_path></lun_path>
D. iscsi-r <lun_path></lun_path>
Answer: A,B Explanation:
QUESTION NO: 5
Applications, such as databases, running on NAS or iSCSI or FC SAN must be
 A. prepared for snapshots by flushing buffers to disk and momentarily suspending activity. B. disconnected from their storage resources during the snapshot.
C. using dynamic multipathing during a backup.D. mirrored with a host-based volume manager to be backed-up.
Answer: A Explanation:
QUESTION NO: 6
To export volumes and directories automatically on reboot, include them in the /etc/exports file.
A. True B. False
Answer: A Explanation:
QUESTION NO: 7
Which command best displays the statistics for the network interface?
A. netstat B. ifconfig C. sysstat



D. ifstat
Answer: D Explanation:
QUESTION NO: 8
Which one of the following will enable "symlink_strict_security"?
 A. options cifs.symlink_strict_security on B. cifs shares -change <sharename> -symlink_strict_security</sharename> C. options symlink_strict_security=true D. options symlink_strict_security=on
Answer: B Explanation:
QUESTION NO: 9
To configure a storage system as a member of an active directory, the time on the storage system must be synchronized with the time on the Domain Controller.
A. True B. False
Answer: A Explanation:
QUESTION NO: 10
The writeable snapshot that is created for a LUN clone depends on
 A. mirroring. B. the snapshot taken at the time the clone was created. C. exclusive access to the volume. D. the data in the original LUN not changing.
Answer: B Explanation:



QUESTION NO: 11

Which command is the most appropriate for troubleshooting a multiprotocol authentication	on
problem?	

problem:
A. wcc B. rdfile /etc/rc C. priv set advanced D. sysstat 1
Answer: A
Explanation:
QUESTION NO: 12
A quota target can be defined as
 A. the maximum amount of disk space in a volume. B. the maximum number of files in a disk. C. a user, group, or qtree to which a quota is applied. D. a specific disk space threshold.
Answer: C Explanation:
QUESTION NO: 13
Which three are used for creating LUNs on the storage appliance? (Choose 3)
A. lun create
B. lun setup
C. FilerView

Answer: A,B,C Explanation:

D. lun config



QUESTION NO: 14

What is the outcome of this command? lun create -b /vol/vol2/.snapshot/testsnap/lun0 /vol/vol2/lun0.clone

 A. It creates a duplicate of the clone process of lun0. B. It creates a clone of the writeable snapshot of lun0. C. It creates a writeable snapshot of lun0. D. It creates a snapshot "testsnap" of vol2.
Answer: C Explanation:
Ехріанацон.
QUESTION NO: 15
Which security method encrypts the data?
A. IPSec B. CHAP C. LUN masking D. Header and Data Digests
Answer: A Explanation:
QUESTION NO: 16
is the default cfmode for new installations of Data ONTAP 7.2.
A. single image B. mixed C. partner D. dual fabric
Answer: A
Explanation:
QUESTION NO: 17



What utility on the storage appliance will allow you to capture network packet information?

A. netstat **B.** snoop

http://www.maitiku.com QQ:860424807
UNIX allow file access based on
QUESTION NO: 20
Answer: A Explanation:
A. single image B. partner C. mixed D. standby
Which cfmode is described by the following scenario? All LUNs in the cluster are avilable on al ports in thecluster. Any port on each node can provide access to both local and partner LUNs.
Explanation: QUESTION NO: 19
A. poststat B. perfstat C. prestat D. sio_ntap.exe Answer: B
If you believe you have a FC SAN performance problem, which NetApp utility or command would gather both your Solaris host and storage appliance data for analysis?
QUESTION NO: 18
Answer: C Explanation:
C. pktt D. traceroute



- A. GID or UID and UNIX permissions.
- B. NT ACLs and UNIX permissions.
- C. NT ACLs and SID.
- D. GID or UID and ACLs.

Answer: A
Explanation:

QUESTION NO: 21

The quota resize command only affects existing/etc/quotas file target entries, not new target entries.

- A. True
- B. False

Answer: A Explanation:

QUESTION NO: 22

Which command should be used for troubleshooting connectivity problems from the storage system console?

- A. ifstat, netdiag
- B. sysconfig cr, sysstat
- C. scsi test, shelfchk
- D. dish shm_stats, sysstat

Answer: A Explanation:

QUESTION NO: 23

Which cfmode is described by the following scenario? All LUNs in the cluster are avilable on al ports in thecluster. Any port on each node can provide access to both local and partner LUNs.

- A. single image
- B. partner



C. mixed D. standby
Answer: A Explanation:
QUESTION NO: 24
UNIX allow file access based on
 A. GID or UID and UNIX permissions. B. NT ACLs and UNIX permissions. C. NT ACLs and SID. D. GID or UID and ACLs.
Answer: A Explanation:
QUESTION NO: 25
Which command best displays the statistics for the network interface?
A. netstat B. ifconfig C. sysstat D. ifstat
Answer: D Explanation:
QUESTION NO: 26
Before running lun setup on the storage appliance, you must pre-create the igroup to which the initiator will be attached.
A. True B. False
Answer: B



Explanation:

OΠ	FST	ION	NO:	27
wu	'E3 I	IUN	NU.	21

If v	VOLL OF	rocciving	DDC	timeouts,	tha	fallowi	na tro	ublacha	otina	otono	would	ho o	nnror	orioto:
H Y	you are	receiving	REC	umeouts,	แษ	TOHOWI	ng no	uniesiio	ouriq	SIEDS	would	DE a	loblot	mate.

- 1) Verify that the RPC is enabled.
- 2) Verify that the NFS daemons are running.
- 3) Verify that the correct mount points have been created.
- A. True
- **B.** False

Answer: A Explanation:

QUESTION NO: 28

Cfmode is a(n)_____-specific setting.

- A. FCP
- B. iSCSI
- C. Active/Active
- D. Active/Passive

Answer: A

Explanation:

QUESTION NO: 29

When viewing sysstat output, which three fields are part of the total number of operations per second? (Choose 3)

- A. CIFS
- B. FTP
- C. NFS
- **D.** HTTP