

# **Symantec**

## **Exam ST0-141**

**Symantec Backup Exec 2012 Technical Assessment** 

Version: 7.0

[ Total Questions: 150 ]



#### **Question No: 1**

Which Symantec Backup Exec 2012 troubleshooting tool should an end user use before contacting Symantec for additional support?

- A. VxGather
- B. Collect Debug Output
- C. Symantec Backup Exec Support Tool
- **D.** BEDiag

**Answer: C** 

#### **Question No: 2**

Which tool should be used to collect debug logs for a failing backup of a remote server?

- A. BEUtility.exe
- B. Ramcmd.exe
- C. VxMon.exe
- D. SGMon.exe

**Answer: D** 

#### **Question No: 3**

An administrator needs to restore a mailbox to an Exchange 2010 Database Availability Group. Which server must have an installed Agent for Windows in order to restore from a GRT enabled backup of Exchange?

- A. the Edge Transport server
- B. the Active Mailbox server
- C. the Client Access server
- D. the Passive Mailbox server

**Answer: C** 

**Question No: 4** 



An administrator needs to restore multiple emails from a GRT enabled backup of Exchange to a file. Which file format will be created?

- A. .MSG
- B. .CAB
- C. .PST
- D. .OST

**Answer: C** 

#### **Question No:5**

A user requests the restore of files from the backup of a different server. The administrator performs a redirected restore to the user's folder. Which "Restore site list and item level permissions" option must the administrator select so the user can use the restored files?

- A. restore only the NTFS permissions
- B. restore files with the NTFS permissions of the destination folder
- **C.** restore files without their NTFS permissions
- **D.** restore files with their NTFS partitions

**Answer: C** 

#### **Question No: 6**

Which two behaviors of the Symantec Backup Exec 2012 Agent for Applications and Databases apply to Microsoft Active Directory? (Select two.)

- **A.** It is installed as a separate add-on component.
- **B.** Windows Active Directory database can be backed up while online.
- **C.** It is a system service that runs on remote Windows servers where active directory is installed.
- **D.** Granular restore of individual Active Directory objects and attributes is unsupported.
- **E.** It requires Agent for Windows to be running on the domain controller.

Answer: B,E

**Question No:7** 



An administrator plans to use Symantec Backup Exec 2012 data deduplication capabilities to protect a Hyper-V environment. The administrator needs to leverage client-side deduplication and image-based backups of the Hyper-V virtual machines. How does Symantec Backup Exec 2012 accomplish this task?

- **A.** The Agent for Windows installed on the Hyper-V host performs client-side deduplication.
- **B.** Backup data is deduplicated "in flight" during transport to the Symantec Backup Exec server.
- **C.** Hyper-V virtual machines use the .VHD format for virtual disks, which is deduplicated by definition.
- **D.** The PureDisk client installed to the Hyper-V secondary server performs client-side deduplication.

Answer: A

#### **Question No:8**

An administrator needs to use the Agent for VMware and Hyper-V to protect a VMware virtual machine hosting Microsoft Exchange. The administrator needs to restore granular application objects, such as emails, from the backup sets that are captured from the virtual machine hosting Exchange. Which action should the administrator take before configuring a backup definition for the virtual machine hosting Exchange?

- A. run the Exchange optimizer utility
- **B.** manually install VMware tools on the virtual machine
- C. install the Agent for Windows on the virtual machine hosting Exchange
- **D.** manually truncate Exchange transaction logs

**Answer: C** 

#### Question No: 9

Which two options are supported by the Checkpoint Restart feature of Symantec Backup Exec 2012? (Select two.)

- A. FAT32 volumes
- **B.** NTFS volumes
- C. Linux computers
- D. Cluster Shared Volumes (CSV)



E. VSS

**Answer: B,E** 

#### **Question No: 10**

A job runs with a custom error-handling rule in addition to the default error-handing rule. What will happen?

- **A.** The custom error-handling rule will apply.
- **B.** The default error-handling rule will apply.
- **C.** The job will fail.
- **D.** The administrator will be prompted to select the rule.

**Answer: A** 

### **Question No: 11**

Which Symantec Backup Exec 2012 default global scheduling option allows jobs to be cancelled without manual intervention?

- A. job auto cancel after 'x' hours after its scheduled start time
- B. kill the job if it is still running 'x' hours after its scheduled start time
- C. terminate the job if it is still running 'x' hours if no data has incremented
- D. cancel the job if it is still running 'x' hours after its scheduled start time

**Answer: D** 

### **Question No: 12**

In Symantec Backup Exec 2012, scheduled convert to virtual jobs can be configured to support which two sources? (Select two.)

- A. all differential backups
- B. all full backups
- C. most recent snap
- D. last incremental with changed block tracking enabled



E. most recent full backup

Answer: B,E

#### **Question No: 13**

Where are the Symantec Backup Exec Job Log files stored by default?

- A. \Program Files\Symantec\Backup Exec
- B. \Program Files\Symantec\Backup Exec\Data
- C. \Program Files\Symantec\Backup Exec\Logs
- **D.** \Program Files\Symantec\Backup Exec\Log

**Answer: B** 

#### **Question No: 14**

For GRT operations, in which two instances must the default path for the TEMP directory specified in "Symantec Backup Exec 2012 > Configuration and settings > Backup Exec Settings > Granular Recovery Technology" be modified? (Select two.)

- A. when the default path is the system volume
- **B.** when the default path is a mapped drive letter
- **C.** when the default path is NTFS
- **D.** when the default path is FAT32
- **E.** when the default path contains the Windows page file

Answer: A,D

#### **Question No: 15**

A backup job failed with an access denied error message. Which option in the backup job property can be used to set the correct permissions?

- A. verify credentials
- B. user account credentials
- C. validate credentials



D. test/edit credentials

**Answer: D** 

#### **Question No: 16**

In order to use the "DirectCopytotape" option, both the source device and the destination device must support which feature?

- A. OST
- **B.** NDMP
- C. SCSI
- D. iSCSI

**Answer: B** 

#### **Question No: 17**

Which Symantec Backup Exec 2012 feature allows an administrator to organize and view server information in the list of servers?

- A. Resource list
- **B.** Server list
- C. Resource group
- D. Server group

**Answer: D** 

#### **Question No: 18**

What is used to automatically expire backup sets stored on disk or in cloud-based storage?

- A. advanced device and media management
- **B.** data lifecycle management
- C. tape and disk management
- D. cloud storage management tasks



**Answer: B** 

#### **Question No: 19**

What is the recommended method to back up the deduplication storage folder on a Symantec Backup Exec server?

- A. stop all services and manually copy the deduplication folder to another server
- B. back up the deduplication folder through Shadow Copy Components
- C. schedule a backup through BEUtility
- **D.** under Symantec Backup Exec Settings, choose Storage, then check the box next to "Enable Scheduled Backup job"

**Answer: B** 

#### **Question No: 20**

What is the minimum amount of free RAM required for client-side deduplication for a Windows client?

- **A.** 1 GB
- **B.** 1.5 GB
- **C.** 8 GB
- **D.** 512 MB

**Answer: B** 

#### Question No: 21

What is the recommended amount of free RAM on the Symantec Backup Exec server to support 10 TBs of deduplicated data?

- **A.** 8 GB
- **B.** 10 GB
- **C.** 15 GB
- **D.** 20 GB



**Answer: C** 

#### **Question No: 22**

An administrator needs to copy deduplicated data between Symantec Backup Exec 2012 servers using optimized duplication. Which two licenses will the administrator need at a minimum? (Select two.)

- A. Enterprise Server Option
- B. Applications and Database Option
- C. Deduplication Option
- D. Agent for VMware and Hyper-V
- E. NDMP Option

Answer: A,C

#### **Question No: 23**

Which software compression algorithm does Symantec Backup Exec 2012 use?

- A. FRF9
- B. LZS
- C. PPP
- **D.** STAC

**Answer: D** 

#### **Question No: 24**

Which two capabilities of the Symantec Backup Exec 2012 Agent for Microsoft SharePoint are supported? (Select two.)

- **A.** granular restore of items from incremental/differential/full backups
- B. backup and restore of SharePoint Web applications and their associated databases
- C. granular restore of shared documents and list items
- **D.** the restore of granular items from compressed databases or encrypted databases
- E. restore of individual service application components



Answer: B,C

#### **Question No: 25**

What must be installed before performing an Offhost GRT backup of an Exchange server?

- A. Exchange Email Archiving Option
- B. Advanced Disk Based Option
- C. Central Admin Server Option
- **D.** Duplication Option

**Answer: B** 

#### **Question No: 26**

Which two capabilities of the Symantec Backup Exec 2012 V-Ray technology are supported? (Select two.)

- A. backup of Hyper-V and VMware virtual machines over SAN infrastructures
- **B.** intelligent skipping of unused blocks within a virtual disk file on Hyper-V
- **C.** individual backup of virtual guest disks (vhd and vmdk)
- **D.** application guiescence and log truncation for VMware guests only
- **E.** recovery of full virtual machines, applications, granular application objects, files, and folders

Answer: B,E

**Question No: 27** 

Which two will cause Data Discovery to fail to detect remote servers in the same domain as the Symantec Backup Exec server? (Select two.)

- **A.** The administrator failed to add the default logon account to the local administrators group on the remote servers.
- B. The servers have Windows Management Instrumentation (WMI) disabled.
- C. The firewall on the remote servers is configured to block WMI traffic.
- **D.** The firewall on the remote servers is configured to block port 10000.