

Avaya

Exam 3000-2

ACSS Small and Medium Enterprise (SME) Communications

Version: 6.0

[Total Questions: 103]

Question No : 1

Which three requirements are collected during the Infrastructure Data Gathering phase?

(Choose three.)

- A. Productivity Requirements
- B. Physical Layer: Existing Telecom Infrastructure
- C. Above Physical Layer: Existing Data Network
- D. Line of Business application integration needs
- E. Current PBX/Key System Features and Dial Plan

Answer: B,C,E

Question No : 2

Call routing in a multi-site SCN solution needs careful planning to prevent which three?

(Choose three.)

- A. VCM resources are not over-subscribed.
- B. VMPro ports are not over-subscribed.
- C. Trunk ports are not over-subscribed.
- D. ACD routes are not compromised.
- E. Calls are not tromboned.

Answer: A,B,C

Question No : 3

The design for an IP Office has two locations. They will need phones, voicemail, and meet-me conferencing ability. They will have a PRI at the main office and the remote office will also use it for inbound and outbound calls. The main site has forty users and one fax machine. The remote site has fifteen users and one fax machine. Which cards and modules are required in the IP Office at the main site to support all digital phones?

- A. IP500 Preferred edition, three Digital Station 8 Card, one Analog Phone 2 Card, Universal PRI Trunk Card, one DS30 Module
- B. IP500 Essential edition, three Digital Station 8 Card, one Analog Phone 2 Card, Universal PRI Trunk Card, one DS30 Module

- C. IP500 Essential edition, two Digital Station 8 Card, one Analog Phone 2 Card, VCM32, Universal PRI Trunk Card, one DS30 Module
- D. IP500 Preferred edition, two Digital Station 8 Card, one Analog Phone 2 Card, VCM32, Universal PRI Trunk Card, one DS30 Module

Answer: D

Question No : 4

A customer has opened up another location in London that will have four employees and wants to SCN this site with the current location in New York City which has an IP500 that has been installed for over a year without any software revisions. Which two solutions do you recommend for the London location? (Choose two.)

- A. Install the IP500 with the VCM 32 and the 12 port Ethernet switch on a UPS, ground the IP500, upgrade the IP500 to the same version as the IP500 in New York City, install four digital phones, and verify the correct software version on the phones.
- B. Install the IP500 with VCM 32, add a digital station module on the IP500, Put the IP500 and the DS module on a UPS, earth ground the IP500 and the digital station module, match the IP500 and DS module with the version level with New York City and install the four digital phones.
- C. Install four digital phones and create a VPN connection between London and New York City for the digital phones to connect back to the digital station module in New York City.
- D. Install the IP500 with the VCM 32 on a UPS, a 12 port POE switch on a UPS, earth ground the IP500, match the IP Office version level with New York City, install four IP Phones, and verify the correct software version on the IP phones.

Answer: B,D

Question No : 5

A customer is requesting space required for an IP500 and expansion modules. IT says that they have 12U space (2U = 73mm / 2.9") available in their rack. 35 DS phones and 30 analog phones are required. The customer also has one analog trunk. In case of power failure, one analog phone has to ring. The VMPRO server takes 4U space on the rack. What is the minimum space required for the IP Office?

- A. 2U
- B. 6U
- C. 8U

D. 12U

Answer: B

Question No : 6

A customer is running SIP phones that are locked down to G.729a. What is the bandwidth used for the speech of ten simultaneous calls?

- A. 63 Kbps
- B. 80 Kbps
- C. 560 Kbps
- D. 640 Kbps

Answer: B

Question No : 7

A customer has opened up a new location in London that will have four employees. They want to SCN this site with the current location in New York City which has an IP500 that has been installed for over a year without any software revisions. The employees in London will use the New York City location for all outbound and inbound calls and want to be able to dial any extension at either location. What should you recommend for this customer?

- A. Install an IP500 with four digital phones in London and use short codes to dial across the H.323 IP trunk to connect back to New York City.
- B. Install an IP500 with four IP phones in London and create a VPN connection between London and New York City with firewalls at both locations using double network address translations.
- C. Install an IP500 with four IP phones in London and use the H.323 IP trunk for a SCN to connect back to New York City to dial out of New York City.
- D. Install an IP500 with four IP phones in New York City and use the H.323 IP trunk for a SCN to connect back to London to dial out of London.

Answer: C

Question No : 8

Avaya 3000-2 : Practice Test

Which two licenses are required to support an Interactive Voice Response (IVR) and Text To Speech (TTS) enabled auto attendant? (Choose two.)

- A. IP Office Essential System license
- B. IP Office Preferred System license
- C. IP Office Advanced System license
- D. VMPro TTS (Generic) E. Database license

Answer: B,C

Question No : 9

You need to implement the new tourist information center (TIC) in Milan. The requirement is to have an Auto Attendant that can supply up to three levels (caller can choose option 1, then 2, and finally option 3) for 10 different information groups such as City Guides, "points of view", Hotels with available room, etc. An additional requirement is to have the voicemail-to-email option for all people working at the TIC of Milan. Which IP Office version will meet these requirements for the least cost?

- A. IP Office Preferred Edition
- B. IP Office Preferred Edition and IP Office Advanced Edition
- C. IP Office Essential Edition
- D. IP Office Advanced Edition
- E. IP Office Basic Edition

Answer: C

Question No : 10

Your customer has requested that you implement a plan to give their two sites complete resiliency. Which two will accomplish this? (Choose two.)

- A. IP Office Resiliency License
- B. IP Phones with backup call server
- C. IP500v2 with redundant processor
- D. Preferred Edition - Messaging at both locations

Answer: B,D

Question No : 11

Which two cards can give the IP500 control unit the full ability to interface to a T1/E1 ISDN trunk without additional licenses? (Choose two.)

- A. IP 500 PRI-U
- B. Voice Compression Module
- C. ISDN-U
- D. PRI 24/30
- E. Legacy Carrier Card

Answer: D,E

Question No : 12

Which two are power options for IP telephones on the IP Office? (Choose two.)

- A. Class "B" 24 Volt power supply
- B. 1151D1 Individual Power Supply and the 1151D2 Individual Power Supply with Battery Backup
- C. Class "A" 24 volt power supply
- D. Power over Ethernet switch conforming to 802.3af standards

Answer: B,D

Question No : 13

Which supported hardware is needed to protect an analog extension port that is in a different building than the control unit?

- A. ITWLinx towerMAX DS/2
- B. Analog surge protector
- C. ITWLinx towerMAX SCL/8
- D. IP Office Barrier Box

Answer: D

Question No : 14

Avaya 3000-2 : Practice Test

A client requests VoiceMail Pro with UMS to be installed. During the installation process the option for UMS does not appear. What is the cause?

- A. The UMS service is installed automatically.
- B. The UMS licenses have not been loaded.
- C. The server platform does not meet the requirements.
- D. The Windows account does not have permission.

Answer: C

Question No : 15

In Windows Services, which tab would you use to allow the VoiceMail Pro service to run as a specific user?

- A. General
- B. Advanced
- C. Log On
- D. Dependencies
- E. User

Answer: C

Question No : 16

Which three steps are needed to add a second IP Office unit to one-X Portal? (Choose three.)

- A. Add the IP address using one-X Portal CSTA and DSML links.
- B. Add the required licenses to the second IP Office.
- C. Add a LDAP entry using IP Office Manager to the primary IP Office.
- D. Restart the one-X Portal service.
- E. Run a modify to the one-X Portal setup and add the second IP Office.

Answer: A,B,D

Question No : 17