

IBM

Exam A2010-654

IBM Tivoli Application Dependency Discovery Manager V7.2.1.3

Version: 6.1

[Total Questions: 67]



Question No: 1

Which three reporting options are available under the Analytics function in the Data Management Portal? (Choose three.)

- A. Custom Query
- **B.** Change History
- C. Topology Builder
- D. Grouping Composer
- E. Component Comparison
- F. Topology Agents Groups Status

Answer: A,B,E

Question No: 2

Which file is used to edit the logging properties?

- A. edm.properties
- B. bulkload.properties
- C. collation.properties
- D. database.properties

Answer: C

Question No: 3

What are two ways IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 supports multi-tenancy? (Choose two.)

- A. by using accesscollections
- B. by using auto-tagging feature
- C. by using business applications
- **D.** by using logical groups called tenant groups
- E. by having dedicated databases for each customer

Answer: A,B



Question No: 4

Which discovery scans the TCP/IP stack in a credential-less mode?

- A. Level0
- B. Level 1
- C. Level2
- D. Level3

Answer: B

Question No:5

What is the general rule regarding streaming architecture which requires new firewall rules beyond those in the synchronization environment?

- **A.** Configure anchors andgateways for discovery though a firewall.
- **B.** Deploy an anchor between the discovery server and each firewall.
- **C.** Firewalls between discovery servers and storage servers are not supported at this point.
- **D.** Firewall ports must be open so that the primarystorage server can establish connections to the discovery server.

Answer: D

Question No: 6

To troubleshoot WMI/SSH related issues on Windows and UNIX target servers, the support tools in the support/bin directory use the credentials to authenticate to the target servers. Where are the credentials stored?

- A. In an XML file
- B. In an Access list
- **C.** in the collation.properties file
- **D.** passed as an argument to the support tool command

Answer: B

Question No:7



What are two deployment options for IBM TivoliApplication Dependency Discovery Manager V7.2.1.3? (Choose two.)

- A. Slipstreamed deployment
- B. Reverse proxy deployment
- C. Domain sewer deployment
- **D.** Streaming server deployment
- E. Replication server deployment

Answer: C,D

Question No:8

A discovery schedule can be added using which option in the IBM Tivoli Application Dependency Discovery Manager V7.2.1.3 Discovery Management Console?

- **A.** Schedule > Discovery
- **B.** Discovery> Schedule
- C. Schedule > Add Schedule
- **D.** Discovery Profile > Schedule

Answer: B

Question No:9

What is the correct process to define a username and password for only a specific group of servers?

- **A.** Assign a scope to the access list.
- **B.** Assign the access list to an access group.
- **C.** Assign the access list to a custom server group.
- **D.** Enter the hostname(s) or IP address(es) in the custom server list.

Answer: A

Question No: 10



What is the correct support command syntax to debug WMI issue on target Windows servers?

- A. ./wmiexec.jy <command> <IP Address>
- **B.** ./execwin.jy <IP Address> <command>
- C. . /wmiexec.jy -u <userid> -p <password> <IP Address> <command>
- D. . /wmiexec.jy -i <IP Address> -c <command> -u <userid> -p <password>

Answer: C

Question No: 11

Which statement is true regarding streaming architecture?

- **A.** Scopes, profiles, and access lists are unique to each discovery server.
- **B.** All scopes, profiles, and access lists become usable by all discovery servers.
- **C.** All profiles become usable by all discovery servers; access lists and scopes are unique to discovery servers.
- **D.** All scopes and profiles become usable by all discovery servers; each access list is unique to the discovery server.

Answer: B

Question No: 12

Which information is most important to properly size an IBM Tivoli Application Dependency Discovery Manager V7.2.1.3(TADDM) server?

- A. the number of subnets to be discovered
- B. the number of users that will use TADDM
- C. the number of databases to be discovered
- **D.** the number of server equivalents to be discovered

Answer: D

Question No: 13